

FORM PTO-1390 (Modified)
(REV 11-98)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES

3094-39

DESIGNATED/ELECTED OFFICE (DO/EO/US)

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.5)

CONCERNING A FILING UNDER 35 U.S.C. 371

10/070601

INTERNATIONAL APPLICATION NO.

INTERNATIONAL FILING DATE

PRIORITY DATE CLAIMED

PCT/JP00/05838

August 29, 2000

August 30, 1999

TITLE OF INVENTION

COSMETICS

APPLICANT(S) FOR DO/EO/US

Akihiro KURODA, Koji SAKUTA & Hitoshi USUI

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
9. ☒ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☒ Certificate of Mailing by Express Mail
20. ☐ Other items or information:

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.5) 10/070601	INTERNATIONAL APPLICATION NO. PCT/JP00/05838	ATTORNEY'S DOCKET NUMBER 3094-39
---	--	--


21. The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :				CALCULATIONS PTO USE ONLY	
<input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$970.00 <input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$840.00 <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$690.00 <input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$670.00 <input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) \$96.00				\$890.00	
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$890.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).				\$0.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	23 - 20 =	3	x \$18.00	\$54.00	
Independent claims	2 - 3 =	0	x \$78.00	\$0.00	
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				\$0.00	
TOTAL OF ABOVE CALCULATIONS =				\$944.00	
Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable). <input type="checkbox"/>				\$0.00	
SUBTOTAL =				\$944.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).				\$0.00	
TOTAL NATIONAL FEE =				\$944.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input checked="" type="checkbox"/>				\$40.00	
TOTAL FEES ENCLOSED =				\$984.00	
				Amount to be: refunded	\$
				charged	\$

- ☒ A check in the amount of **\$984.00** to cover the above fees is enclosed.
- ☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.
- ☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **50-1145** A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Gerald Levy
Pitney, Hardin, Kipp & Szuch LLP
685 Third Avenue
New York, NY 10017-4024
(212)297-5800


SIGNATURE

Ronald E. Brown
NAME

32,200
REGISTRATION NUMBER

February 28, 2002
DATE

3094-39

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Akihiro KURODA, Koji SAKUTA and Hitoshi USUI

Serial No.: N/A

Filed: Herewith

Art Unit: N/A

For: **COSMETICS**

Examiner: N/A

Pitney, Hardin, Kipp & Szuch LLP
685 Third Avenue
New York, New York 10017
(212) 297-5800

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

S I R:

Prior to any action in the above referenced application, kindly amend the above captioned application as follows:

844335A01022802

Please rewrite claims 18 – 23 as follows:

18. (Amended). The cosmetic as described in claim 15, wherein said crosslinked organopolysiloxane is contained in the cosmetic in a state swollen in an organopolysiloxane of a dynamic viscosity of 0.65 to 100 mm²/s.

19. (Amended). The cosmetic as described in claim 1, wherein it further contains a fluorine-containing compound.

20. (Amended). The cosmetic as described in claim 1, wherein it further contains a UV-ray protective component.

21. (Amended). The cosmetic as described in claim 20, wherein said UV-ray protective component is at least one selected from the group consisting of titanium dioxide fine particle, zinc oxide fine particle, 2-ethylhexyl paramethoxycinnamate, 4tert-butyl-4'-methoxydibenzoylmethane, and benzophenone UV-ray absorbents.

22. (Amended). The cosmetic as described in claim 1, wherein it further contains a compound having an alcoholic hydroxyl group.

23. (Amended). The cosmetic as described in claim 1, wherein it further contains a thickening agent.

Remarks

The present amendment is filed with the above captioned application for purposes of correcting the multiple dependencies and to reduce the number of claims for purposes of determining the filing fee. Marked up versions of the amended claims are included in an Appendix attached hereto.

An early action on the merits is now respectfully requested.

Respectfully submitted,



RONALD E. BROWN

Reg. No. 32,200 for:

GERALD LEVY

Reg. No. 24,419

APPENDIX

18. (Amended). The cosmetic as described in [any one of claims 15 through 17] claim 15, wherein said crosslinked organopolysiloxane is contained in the cosmetic in a state swollen in an organopolysiloxane of a dynamic viscosity of 0.65 to 100 mm²/s.

19. (Amended). The cosmetic as described in [any one of Claims 1, 3 to 17, and 18] claim 1, wherein it further contains a fluorine-containing compound.

20. (Amended). The cosmetic as described in [any one of Claims 1, 3 to 18, and 19] claim 1, wherein it further contains a UV-ray protective component.

21. (Amended). The cosmetic as described in [Claim 20 or 24] claim 20, wherein said UV-ray protective component is at least one selected from the group consisting of titanium dioxide fine particle, zinc oxide fine particle, 2-ethylhexyl paramethoxycinnamate, 4tert-butyl-4'-methoxydibenzoylmethane, and benzophenone UV-ray absorbents.

22. (Amended). The cosmetic as described in [any one of Claims 1, 3 to 20 and 21] claim 1, wherein it further contains a compound having an alcoholic hydroxyl group.

23. (Amended). The cosmetic as described in [any one of Claims 1, 3 to 21, and 22] claim 1, wherein it further contains a thickening agent.

COSMETIC

Field of the Technology

The present invention relates to a cosmetic containing a specific organopolysiloxane. More precisely, it relates to a cosmetic showing excellent feel to the touch when applied and longer lasting cosmetic coverage, which contains a volatile branched organopolysiloxane having a specific structure exhibiting a high volatility.

Background of the Invention

Volatile cyclic silicones which are disclosed in Japanese Patent Nos. 2517311, 2525193, 2843266, 2934773, 2967141, and 3020716 have been widely used in water-in-oil type emulsions and oil-based cosmetics.

Generally, human secretions such as sweat, tears and sebum cause makeup runs. Specially, in makeup cosmetics, an oil agent contained in cosmetics along with sebum secreted from the skin causes excessive wetting of cosmetic powder, which results in serious makeup runs. In order to reduce the amount of cosmetic oil remaining on the skin, an attempt was made to use a volatile oil such as octamethylcyclotetrasiloxane or decamethylcyclopentasiloxane as a part of the oil ingredients to be added.

Water is also an external factor causing poor coverage with cosmetics. In order to improve such poor makeup coverage caused by substances soluble in sweat or water, or to maintain a protective effect on the skin by preventing loss of water-soluble components from the skin, silicone

10070601-022802

oil was added to increase water repellency. Since silicone oil represented by dimethylpolysiloxane demonstrates superior features such as light to the touch, excellent water repellency, and high safety when applied, it has been used as an oil agent in cosmetics along with a volatile silicone.

However, since octamethylcyclotetrasiloxane which is a volatile silicone (hereinafter referred to as D4) has a solidification point of 17°C, D4 in a product containing D4 crystallizes in winter to cause separation in the product. In addition, when manufacturing such a product in winter, D4 must be dissolved once by heating prior to its addition, which is a source of concern in the manufacturing process.

Since decamethylcyclopentasiloxane (hereinafter referred to as D5) has a solidification point of -40°C, the above-mentioned problem does not occur. However, since its boiling point is so high as 210°C, it lacks volatility, so that there is a problem with sensory features if D4 is replaced with D5. Another problem therein is that as D5 remains on the skin for a longer time, strength of the cosmetic film is weaker, so that the duration of the cosmetic coverage is reduced. For this reason, D4 and D5 were mostly used together in practice to attain volatility and prevention of crystallization together.

On the other hand, as disclosed in Japanese Kokai (Laid-Open) Patent No. 9-175940, it is known to blend a solution of a silicone resin (trimethylsiloxysilicate) in D5 to sunscreen agents and cosmetic foundations. In this case, it is also known that the duration of the cosmetic coverage is improved on account of the addition of a


10070601-022802

silicone resin solution. However, the reality was that when the effect of a silicone resin solution was tested both in model experiments and in actual applications, the effect achieved in the actual applications was not so high as the effect achieved in the model experiments. The reason for this seems that D5 does not vaporize and remains on the skin, so that the effect of the silicone resin is not exhibited.

Disclosure of the Invention

The inventors have earnestly investigated the subject of concern in an attempt to solve the various problems as described above and have now discovered the fact that a volatile branched organopolysiloxane having a specific structure has excellent volatility and therefore, unlike D5, it does not remain on the skin for a long time and it does not crystallize in winter, unlike D4; it has no safety problem and; it barely defats the skin. This organopolysiloxane has a boiling point of 190°C, which is close to that of D4, and however its solidification point is -82.8°C, so that it does not crystallize in winter unlike D4. In addition, the organopolysiloxane demonstrates a high applicability as an oil agent for cosmetics and, moreover, the cosmetics containing the organopolysiloxane give a feel of lightness without a feel of dryness caused by conventional cyclic silicones.

The present invention is a cosmetic wherein the cosmetic contains an organopolysiloxane having the following general formula (1)



and at least one other kind of organopolysiloxane than that of expressed by the formula (1), said other kind of organopolysiloxane being not crosslinked

10070601.022802

organopolysiloxanes which are prepared by addition polymerization under presence of the organopolysiloxane expressed by the general formula (1) to be swollen with the organopolysiloxane expressed by the general formula (1).

Preferred embodiments of the present invention include the following.

The cosmetic wherein the other kind of organopolysiloxane is liquid at 25°C and 1 atm.

The cosmetic wherein said liquid organopolysiloxane is volatile at 25°C and 1 atm.

The cosmetic wherein said volatile organopolysiloxane is a cyclic dimethylpolysiloxane having 4 to 6 silicon atoms.

The cosmetic wherein said liquid organopolysiloxane is non-volatile at 25°C and 1 atm.

The cosmetic wherein said non-volatile organopolysiloxane is at least one selected from the group consisting of dimethylpolysiloxanes and methylphenylpolysiloxanes.

The cosmetic wherein said other kind of organopolysiloxane is of a paste, gum, elastomeric solid or non-elastomeric solid form at 25°C and 1 atm.

The cosmetic wherein said gum form of organopolysiloxane is dimethylpolysiloxane gum with a degree of polymerization ranging from 3,000 to 20,000.

The cosmetic wherein said elastomeric solid form or non-elastomeric solid form of organopolysiloxane is dispersed in the cosmetic.

The cosmetic wherein said non-elastomeric solid form of organopolysiloxane is polyalkylsilsesquioxane spherical powder.

The cosmetic wherein said non-elastomeric solid form of organopolysiloxane is at least one selected from the

10070601.022802

group consisting of acrylic silicone copolymers, fluorinated organopolysiloxanes, trimethylsiloxysilicates (i.e., MQ resins), and trimethylsiloxysilicates containing a dimethylsiloxo group (i.e., MDQ resins).

The cosmetic wherein said other kind of organopolysiloxane is a modified organopolysiloxane.

The cosmetic wherein said modified organopolysiloxane is at least one selected from the group consisting of fluorinated organopolysiloxanes, polyether-modified organopolysiloxanes, amino-modified organopolysiloxanes, organopolysiloxanes containing an alcoholic hydroxyl group, glyceryl-modified organopolysiloxanes, and polyglyceryl-modified organopolysiloxanes.

The cosmetic wherein said other kind of organopolysiloxanes is a crosslinked organopolysiloxane.

The cosmetic wherein said crosslinked organopolysiloxane is a reaction product of organopolysiloxane having at least two alkenyl groups per molecule with organohydrogenpolysiloxane having a Si-H bond.

The cosmetic wherein said crosslinked organopolysiloxane has at least one moiety selected from the group consisting of polyoxyalkylene moieties, alkyl moieties, alkenyl moieties, and aryl moieties.

The cosmetic wherein said crosslinked organopolysiloxane is present, in the cosmetic, in a swollen state in an organopolysiloxane with a dynamic viscosity of 0.65 to 100 mm²/s.


The cosmetic wherein it further contains at least one selected from fluorine-containing compounds, UV-ray protective components, compounds having an alcoholic hydroxyl group, and thickening agents.

The cosmetic wherein said UV-ray protective component is at least one selected from the group consisting of fine particle titanium dioxide, fine powder zinc oxide, 2-ethylhexyl paramethoxycinnamate, 4-tert-butyl-4'-methoxydibenzoylmethane, and benzophenone UV-ray absorbers.

A cosmetic, characterized in that it contains an organopolysiloxane expressed by the general formula (1) and at least one selected from the group consisting of fluorine-containing compounds, UV-ray protective components, compounds having an alcoholic hydroxyl group and thickening agents.

Description of the Preferred Embodiments

The volatile branched organopolysiloxane used in this invention (hereinafter referred to as M3T) is expressed by the following general formula:



M3T is a compound which was investigated in the Soviet Union during the 1970's. For example, see Dokl. Akad. Nauk SSSR Vol. 227 (3), pp. 607-610 (1976).

However, use of M3T in cosmetics is not known. All patents concerning cosmetics containing volatile silicone concern silicones derived from cyclic, straight chain or phenyl groups, but no patents mention M3T.

M3T may be prepared in any known method. For example, it can be obtained by co-hydrolysis of

10070601 000000

methyltrichlorosilane and trimethylchlorosilane. For a molar ratio, at least 3 mols of trimethylchlorosilane are needed per mol of methyltrichlorosilane.

M3T can also be obtained by hydrolysis of hexamethyldisiloxane and methyltrialkoxysilane in the presence of an acidic catalyst. As the methyltrialkoxysilanes, methyltrimethoxysilane, methyltriethoxysilane, methyltripropoxysilane, and methyltributoxysilane are desirable. Examples of the acidic catalyst include sulfuric acid, methanesulfonic acid, trifluoromethanesulfonic acid, and ion exchange resins, and the reaction is carried out using a solvent such as ethanol and isopropylalcohol. Regarding the molar ratio, at least 1.5 mols of hexamethyldisiloxane are needed per mol of methyltrialkoxysilane.

In addition, M3T can also be obtained by an XY-elimination reaction between $(\text{CH}_3)_3\text{SiOSi}(\text{X})\text{CH}_3\text{Si}(\text{CH}_3)_3$ and CH_3SiY , wherein X and Y are groups selected from the group consisting of hydrogen, chlorine, and alkoxy groups.

It is desirable to use M3T purified to a lead level of 20ppm or less, and an arsenic level of 2ppm or less from the standpoint of human safety, and an amount of contaminating components having one silicon atom to 0.1 mass% or less. Examples of the contaminating components containing one silicon atom include $(\text{CH}_3)_3\text{SiCl}$, $(\text{CH}_3)_3\text{SiOH}$, and $(\text{CH}_3)_3\text{SiH}$. All of these compounds are strongly irritating to the skin, so that their addition to cosmetics is not desirable. Since straight chain or cyclic compounds containing two or three silicon atoms are also strongly irritating to the skin, they are not desirable, either.

10070501-022802

In the present invention, M3T may be added to the cosmetics arbitrarily in the range of from 0.1 to 99.9 mass%. The blend concentration of M3T may be determined depending on a combination with the other kind of organopolysiloxanes than M3T and a form of the cosmetics, as will be described below.

In the cosmetic of the present invention, it is desirable to use M3T in combination with the other kind of organopolysiloxanes which have been used in cosmetics (hereinafter, sometimes, referred to as "silicone compound"). Examples of the other kind of organopolysiloxanes include organopolysiloxanes and modified organopolysiloxanes which are, at 25°C and 1 atm, of a volatile or non-volatile liquid form, a paste form, i.e., an intermediate state between a liquid form and a solid form, a gum form, i.e., showing plasticity, which is not crosslinked or slightly crosslinked, an elastomeric solid (elastomer) form, a non-elastomeric solid form, a solution of a solid, and powder form. Specifically, those described in "Standards for Cosmetic Ingredients" and "Japanese Cosmetic Ingredients Codex" are included. M3T demonstrates excellent compatibility with these organopolysiloxanes.

In the present invention, the liquid organopolysiloxanes which are volatile at 25°C and 1 atm (volatile silicone) are those having a boiling point of 300°C or less, preferably 250°C or less, at 1 atm. Examples of such include linear or cyclic polysiloxanes which contain 3 to 7 silicon atoms and have a methyl-, ethyl-, phenyl-, and/or trifluoropropyl group, preferably

10070601.022802

cyclic dimethylpolysiloxanes having 4 to 6 silicon atoms and linear dimethylpolysiloxanes having 4 to 5 silicon atoms. The aforementioned cyclic dimethylpolysiloxanes include octamethylcyclotetrasiloxane, decamethylcyclopentasiloxane, and dodecamethylcyclohexasiloxane. By the use of these conventional volatile silicones together with M3T, the vaporization speed can be controlled or sensory features can be modified. The mixing mass ratio of M3T to these volatile silicones may be in a range of from 99:1 to 1:99. However, in particular, a range of from 10:90 to 95:5 is desirable since the effect of the addition of M3T is more prominent.

The liquid organopolysiloxanes which are non-volatile at 25°C at 1 atm include nonvolatile dimethylpolysiloxane and methylphenylpolysiloxane. In particular, those with a degree of polymerization ranging from 10 to less than 3,000, preferably with a dynamic viscosity ranging from 6 to 1,000,000cs(mm²/s) are desirable. For example, products under the tradenames of KF96 and KF54 are commercially available from Shin-Etsu Chemical Co., Ltd.

M3T is also suitable as a solvent for dissolving, swelling or dispersing organopolysiloxanes which are of paste form, gum form, elastomeric solid form (elastomer) or non-elastomeric solid form at 25°C and at 1 atm.

The gum form organopolysiloxanes include substituted or unsubstituted organopolysiloxanes having RRSiO units, e.g., dimethylpolysiloxane, methylphenylpolysiloxane, and methylfluoroalkylpolysiloxane, or those having a slightly crosslinked structure. In particular, dimethylpolysiloxane

10070601.022802

gum with a degree of polymerization ranging from 3,000 to 20,000 is desirable. The gum form organopolysiloxane may be dissolved in a solvent containing M3T, or it may be dispersed along with M3T in water, a polyhydric alcohol or a fluoric oil agent using a surfactant. In this case, the dispersion particle size is not particularly limited, but a range of from 1 nm to 50 μ m is desirable.

The elastomeric solid (elastomer) form organopolysiloxanes include crosslinked organopolysiloxanes as described below. The elastomeric solid form organopolysiloxane is added to the cosmetic, for example, in a powder form. In this case, a desirable form of powder is spherical ones or aggregates thereof.

The non-elastomeric solid form organopolysiloxanes include those which are commonly called silicone resin compounds, for example, those expressed by the average formula: $R_nSiO_{(4-n)/2}$ and having $RRRSiO_{0.5}$ units (i.e., M units), $RRSiO$ units (i.e., D units), $RSiO_{1.5}$ units (i.e., T units), and SiO_2 units (i.e., Q units), wherein the average number of n ranges preferably from 1 to 1.8. In the formula, R preferably represents a substituted or unsubstituted linear or branched alkyl group having 1 to 30 carbon atoms, or an organic residue having a phenyl group, amino group, polyether group, glycoside derivatives, glyceryl group, or polyglyceryl group, and all of the R groups may be identical or different.

In addition, the other silicone resin compounds include silicone-modified pullulans (e.g., trimethylsilyl pullulan such as silylated polymer L-MPL, produced by Shin-Etsu Chemical Co., Ltd.) and acrylic silicone copolymer

resins. Among them all, preferred in particular are acrylic silicone copolymer resins, fluorine-modified silicone resins, trimethylsiloxysilicate (i.e., MQ resins), and trimethylsiloxysilicate containing a dimethylsiloxyl group (i.e., MDQ resins) due to their excellent applicability.

The aforementioned acrylic silicone copolymer resins include acrylic/silicone graft or block copolymers. In particular, silicone copolymer compounds containing at least one moiety selected from the group consisting of pyrrolidone moieties, long-chain alkyl moieties, polyoxyalkylene moieties, fluoroalkyl moieties, and amino moieties are desirable since they improve duration of the cosmetic coverage. Examples of the acrylic silicone copolymer resins are KP545 and KP561, produced by Shin-Etsu Chemical Co., Ltd.

Another type of the non-elastomeric solid form organopolysiloxanes includes polyalkylsilsesquioxanes such as polymethylsilsesquioxane (i.e., T resins, wherein alkyl groups are substituted or unsubstituted alkyl groups having 1 to 30 carbon atoms). In particular, a spherical form having a primary particle size ranging from 0.1 to 20 μm , preferably from 1 to 7 μm , is desirable. The polyalkylsilsesquioxane may be a spherical silicone resin powder such as KMP590 produced by Shin-Etsu Chemical CO., Ltd.

M3T is characteristic in that if the gum form, elastomeric solid form or non-elastomeric solid form organopolysiloxane is dissolved in M3T, the film completion rate becomes faster due to the high volatilization rate of

100706501-022802

M3T, so that durability of the cosmetic is improved. M3T is also excellent as a swelling or dispersing medium so that it is suitable for blending an insoluble organopolysiloxane powder to cosmetics. The mixing ratio of M3T to the gum form, elastomer form, or non-elastomeric solid form of organopolysiloxane ranges preferably from 99:1 to 20:80, more preferably from 85:15 to 40:60, when no other solvent is used. These organopolysiloxanes are preferably dissolved or dispersed in a solvent containing M3T prior to the addition to the cosmetics.

blend the aforementioned non-volatile liquid form, paste form, elastomeric solid form or non-elastomeric solid form of organopolysiloxanes to the cosmetics, a desirable amount thereof ranges from 0.01 to 80 mass%, relative to the total amount of the cosmetic.

In the cosmetic of the present invention, it is desirable to use M3T together with a modified organopolysiloxane since this improves sensory features of the modified organopolysiloxane, especially, reduces an oily feel. The modified organopolysiloxanes include those than obtained by substituting the methyl group or the like in common organopolysiloxanes such as dimethylorganopolysiloxane and methylphenylpolysiloxane with another organic group. For example, the following compounds are desirable: fluorine-modified organopolysiloxanes, polyether-modified organopolysiloxanes, amino-modified organopolysiloxanes, organopolysiloxanes containing an alcoholic hydroxyl group, glyceryl-modified organopolysiloxanes, polyglyceryl-modified organopolysiloxanes, sugar-modified organopolysiloxanes,

10070601 022202
organopolysiloxanes modified with an alkyl group other than methyl or phenyl, and amodimethicones. In particular, fluorine-modified organopolysiloxanes, polyether-modified organopolysiloxanes, amino-modified organopolysiloxanes, organopolysiloxanes containing an alcoholic hydroxyl group, glyceryl-modified organopolysiloxanes, and polyglyceryl-modified organopolysiloxanes are desirable. It is effective to use one or more kinds of these compounds in combination since an effect of improvement by M3T in the feel to the touch can be felt readily.

A desirable amount of the modified organopolysiloxane to be added to the cosmetic ranges from 0.01 to 80 mass%, relative to the total amount of the cosmetic. The mixing mass ratio of the modified organopolysiloxane to M3T may be set arbitrarily in a range of from 0.1:99.9 to 99.9:0.1, preferably in a range of from 5:95 to 99:1.

M3T demonstrates an excellent compatibility with those which act as a surfactant among the modified organopolysiloxanes (i.e., silicone surfactant). Therefore, M3T can be advantageously added to an emulsion containing such a silicone surfactant. Examples of the modified organopolysiloxanes which can act as a surfactant include those having at least one kind of a modifying group selected from the group consisting of polyoxyalkylene groups, partially substituted or unsubstituted alkyl groups having 2 to 30 carbon atoms, alcoholic hydroxyl groups, phenyl groups, glyceryl groups, saccharide residues, oxazoline groups, and perfluoropolyether, bonded to a dimethylsiloxane chain, and also having a modifying pendant or terminal group or block unit containing a hydrophilic

10070601 022802

group, such as polyoxyalkylene groups, glyceryl groups, saccharide residues, perfluoropolyether groups, and alcoholic hydroxyl groups, as an essential constituent. For example, the following compounds may be used: polyether-modified organopolysiloxanes (also called polyoxyalkylene-modified silicones, polyether-modified silicones, or polyether-modified siloxanes), alkyl/polyoxyalkylene-comodified silicones (also called polyetheralkyl-comodified siloxanes), fluorinated dimethiconols, perfluoroalkyl/polyoxyalkylene-comodified silicones, perfluoroalkoxy/polyoxyalkylene-comodified silicones, glyceryl-modified silicones, perfluoroalkyl/polyglyceryl-comodified silicones, and glycosyl-modified silicones. Among these silicone surfactants, ones having an HLB ranging from 1 to 12 are desirable due to their excellent compatibility with M3T, and those having an HLB ranging from 1 to 9 are most desirable. Examples of such polyether-modified organopolysiloxanes include KF6012, KF6015, KF6017, KF6026, and FPD6131, produced by Shin-Etsu Chemical Co., Ltd.

A desirable amount of the silicone surfactant to be added ranges from 0.1 to 20 mass%, preferably from 0.5 to 10 mass% relative to the total amount of the cosmetic.

In the present invention, a crosslinked organopolysiloxane is preferably used in combination with M3T since it improves the feel to the touch of the cosmetic. The crosslinked organopolysiloxane has an elastomer form or a non-elastomeric form, depending upon the degree of crosslinking and so on. A reaction product of an organopolysiloxane having two or more alkenyl groups per

10070601-022802

molecule with an organohydrogenpolysiloxane having a SiH bond is desirable as the crosslinked organopolysiloxanes. Alternatively, crosslinked organopolysiloxanes having at least one moiety selected from the group consisting of polyoxyalkylene moieties, alkyl moieties, alkenyl moieties, and aryl moieties are preferably used. Crosslinked organopolysiloxanes which have been swollen in advance in a low-viscosity organopolysiloxane in an amount exceeding the amount of the crosslinked organopolysiloxane may be used. This low-viscosity organopolysiloxane may be such with a viscosity (dynamic viscosity) of 0.65 to 100 mm²/s at 25°C. An example of the crosslinked organopolysiloxanes containing a low-viscosity organopolysiloxane is the KSG series produced by Shin-Etsu Chemical Co., Ltd.

The aforementioned crosslinked organopolysiloxane may be added to the cosmetic in a powder form or a paste form. For a particle size, those with a primary particle size ranging from 0.1 to 50µm are desirable. As examples of the spherical ones, KMP594 and the KSP series by Shin-Etsu Chemical Co., Ltd. may be named. The surface of the crosslinked polymer of the KSP series is coated with a silsesquioxane. Aggregates of the spherical ones are also preferred. A desirable amount of the crosslinked organopolysiloxane to be added to the cosmetic ranges from 0.01 to 50 mass% relative to the total amount of the cosmetic.

The cosmetic of the present invention preferably contains a fluorine-containing compound in addition to the aforementioned organopolysiloxane. In general, fluorine-containing compounds are water repellant and oil repellant,

10070601-022802

so that they are known to be poorly compatible with other oils. For this reason, fluorine surfactants containing fluorine atoms in the molecule, e.g., perfluoroalkyl/polyoxyalkylene-comodified silicones and perfluoroalkyl/polyglyceryl-comodified silicones were developed. M3T demonstrates excellent compatibility with these surfactants. M3T is also a low surface tension liquid and, therefore, shows excellent compatibility also with many fluorine-containing compound.

The fluorine-containing compound may be of a liquid form, a paste form or a solid form at 25°C and at 1 atm. Besides the aforementioned fluorine surfactant, other fluorine-containing compounds may be used, such as fluorine-modified silicones, perfluoropolyethers, fluorinated pitch, perfluorodecaline, fluorocarbons such as perfluorooctane, fluoroalcohols, and perfluoroalkylalkylethers. In particular, fluorine-modified silicones, perfluoroalkylbiphenyl-modified silicones, and perfluoropolyethers are desirable since they can be used for many purposes. When the fluorine-containing compound is added to the cosmetic of the present invention, its desirable amount ranges from 0.01 to 60 mass%, preferably from 0.3 to 15 mass%, relative to the total amount of the cosmetic.

The cosmetic of the present invention preferably contains a UV-ray protective component in addition to the aforementioned components. The UV-ray protective component is removed by sweat, water or sebum with time to lose its effect. For this reason, an attempt has been made to maintain the effect by using the aforementioned

10070601-022802

conventional silicone compounds or fluorine-containing compounds in the formulation. However, if D5, for instance, is added, its volatility is poor and it does not vaporize quickly even in summer, so that a cosmetic film is not completed, resulting in shorter duration of the UV-ray protection effect. In contrast, M3T has a high volatility and forms a cosmetic film quickly, so that it has a significant effect on improvement in the duration of cosmetic coverage. Therefore, the combination of M3T with a UV-ray protective component is highly effective. In particular, the combination of a silicone resin compound with a UV-ray protective component and M3T is desirable.

In the present invention, inorganic and organic UV-ray protection agents may be used as the UV-ray protective component. Examples of the inorganic ones include metal oxides such as titanium dioxide, titanium monoxide, zinc oxide, and cerium oxide, metal hydroxides such as iron hydroxide, tabular iron oxide, metal flakes such as aluminum flakes, and ceramics such as silicon carbide. In particular, it is desirable to use at least one kind selected from fine particle metal oxides or fine particle metal hydroxides with a mean particle size ranging from 5 to 100 nm. Those particles are preferably surface-treated in a conventional method, e.g., treatment with a fluorine compound, preferably perfluoroalkylphosphate, perfluoroalkylsilane, perfluoropolyether, fluorosilicone, and fluorinated silicone resin, treatment with silicone, e.g., methylhydrogenpolysiloxane, dimethylpolysiloxane, or vapor phase treatment with tetramethyltetrahydrogen cyclotetrasiloxane, pendant treatments, i.e., addition of

10070601-022802

an alkyl chain after vapor phase treatment with silicone, treatment with a silane coupling agent, treatment with a titanium coupling agent, treatment with silane, preferably alkylsilane or alkylsilazane, treatment with an oil agent, treatment with N-acylated lysine, treatment with polyacrylic acid, treatment with a metal soap, preferably stearic acid or myristic acid salts, treatment with an acrylic resin, and treatment with metal oxide. It is more desirable to apply a combination of plural treatments selected from the aforementioned treatments. For example, the surface of fine particle titanium dioxide is coated with a metal oxide such as silicon oxide or alumina and subsequently surface-treated with an alkylsilane. The total amount of the surface treatment is preferably from 0.1 to 50 mass%, relative to the mass of the powder.

Examples of the organic UV-ray protection agents are as follows: 2-ethylhexyl paramethoxycinnamate (also called octyl paramethoxycinnamate), 2-hydroxy-4-methoxybenzophenone, 2-hydroxy-4-methoxybenzophenone-5-sulfuric acid, 2,2'-dihydroxy-4-methoxybenzophenone, p-methoxyhydrocinnamic acid diethanolamine salt, paraaminobenzoic acid (hereinafter referred to as PABA), ethyldihydroxypropyl PABA, glyceryl PABA, homomenthyl salicylate, methyl-O-aminobenzoate, 2-ethylhexyl-2-cyano-3,3-diphenylacrylate, octyldimethyl PABA, octyl salicylate, 2-phenyl-1-benzimidazole-5-sulfuric acid, triethanolamine salicylate, 3-(4-methylbenzylidene)camphor, 2,4-dihydroxybenzophenone, 2,2', 4, 4'-tetrahydroxybenzophenone, 2,2'-dihydroxy-4,4-dimethoxybenzophenone, 2-hydroxy-4-N-octoxybenzophenone, 4-isopropyl dibenzoylmethane, 4-tert-

butyl-4'-methoxydibenzoylmethane, octyltriazone, 2-ethylhexyl 4-(3,4-dimethoxyphenylmethylene)-2,5-dioxo-1-imidazolidine propionate, polymer derivatives thereof, and silane derivatives thereof.

It is also possible to use an organic UV-ray protection agent encapsulated in polymer powder. The polymer powder may be hollow or not, a mean primary particle size may be in a range of 0.1 to 50 μ m, and the particle distribution may be broad or sharp. Types of the polymer include acrylic resins, methacrylic resins, styrene resins, polyurethane resins, polyethylenes, polypropylenes, polyethylene terephthalates, silicone resins, nylons, and acrylamide resins. The organic UV-ray protection agent is preferably incorporated in the polymer powder in a range from 0.1 to 30 mass% relative to the powder mass. In particular, it is desirable to use 4-tert-butyl-4'-methoxydibenzoylmethane which is a UVA absorbent.

Among the aforementioned UV-ray protective components, use is preferably made of at least one selected from the group consisting of fine particle titanium dioxide, fine particle zinc oxide, 2-ethylhexyl paramethoxycinnamate, 4-tert-butyl-4'-methoxydibenzoylmethane, and UV absorbents of the benzophenone series, because these are widely used and can be obtained easily and their UV protection effect is high. In particular, it is preferred to use an inorganic one and an organic one in combination. It is also preferred to use a combination of one for UV-A with one for UV-B.

A desirable amount of the UV-ray protective component as a sum of inorganic and organic ones in the cosmetic of

10070601-022802

the present invention ranges from 0.1 to 60 mass%, preferably from 3 to 40 mass% relative to the cosmetic.

The cosmetic of the present invention preferably contains a compound having an alcoholic hydroxyl group in the molecular structure in addition to the aforementioned various components. Generally, when a compound having an alcoholic hydroxyl group except lower alcohols is mixed in a cosmetic, one often feels tackiness and stickiness while drying after the cosmetic is applied on the skin. It was desired to eliminate these features by formulation. M3T has an effect of reducing the aforementioned stickiness while drying after the application of a cosmetic. Accordingly, use of M3T together with a compound having an alcoholic hydroxyl group demonstrates a high sensory effect.

The compound having an alcoholic hydroxyl group according to the present invention is preferably selected from monohydric alcohols, polyhydric alcohols, sterols, sugars, sugar alcohols and sugar derivatives. In particular, it is preferred to use one or more of monohydric alcohols, polyhydric alcohols, sugars, and sugar alcohols. Specific examples of these compounds are described below and they can be used alone or in combination.

Examples of the alcohol include lower alcohols such as ethanol, propanol, and isopropanol; sugar alcohols such as sorbitol, maltose, and maltitol; sterols such as cholesterol, sitosterol, phytosterol, and lanosterol; glucose, sucrose, lactose, raffinose, trehalose, xylitol, glycerin, propylene glycol, dipropylene glycol, tripropylene glycol, polypropylene glycol, 1,3-butylene

glycol, ethylene glycol, diethylene glycol, triethylene glycol, polyglycerin, hyaluronic acid and its salts, chondroitin sulfuric acid and its salts, pyrrolidone carboxylic acid salts, polyoxyethylene methylglucoside, polyoxypropylene methylglucoside, and ethylglucoside.

A desirable amount of the compound having an alcoholic hydroxyl group in the cosmetic of the present invention ranges from 0.01 to 95 mass%, preferably from 0.1 to 50 mass%.

In addition, M3T used in the present invention exhibits a similar sensory effect on a thickening agent as on the compounds having an alcoholic hydroxyl group. The following compounds are used as the thickening agent: plant-derived polymers such as gum Arabic, tragacanth gum, arabinogalactan, locust bean gum (carob gum), guar gum, karaya gum, carrageenan, pectin, agar-agar, quince seed (i.e., marmelo), starch from rice, corn, potato or wheat, algae colloid, and trant gum; bacteria-derived polymers such as xanthan gum, dextran, succinoglucan, and pullulan; animal-derived polymers such as collagen, casein, albumin, and gelatin; starch-derived polymers such as carboxymethyl starch and methylhydroxypropyl starch; cellulose polymers such as methyl cellulose, ethyl cellulose, methylhydroxypropyl cellulose, carboxymethyl cellulose, hydroxymethyl cellulose, hydroxypropyl cellulose, nitrocellulose, sodium cellulose sulfate, sodium carboxymethyl cellulose, crystalline cellulose, and cellulose powder; alginic acid-derived polymers such as sodium alginate and propylene glycol alginate; vinyl polymers such as polyvinyl methylether,

polyvinylpyrrolidone, and carboxyvinyl polymer; polyoxyethylene polymers such as polyethylene glycol; polyoxyethylene/polyoxypropylene copolymers; acrylic polymers such as sodium polyacrylate, polyethyl acrylate, and polyacrylamide; polyethyleneimine; cationic polymers; and inorganic thickening agents such as, bentonite, aluminum magnesium silicate, laponite, smectite, saponite, hectorite, and silicic anhydride.

An oil-soluble gelling agent may also be used as the thickening agent. For example, at least one may be selected from the following group: metal soaps such as aluminum stearate, magnesium stearate, and zinc myristate; α amino acid derivatives such as N-lauroyl-L-glutamic acid, α , γ -di-n-butylamine; dextrin fatty acid esters such as dextrin palmitate, dextrin stearate, and dextrin 2-ethylhexane palmitate; sucrose fatty acid esters such as sucrose palmitate and sucrose stearate; benzylidene derivatives of sorbitol such as monobenzylidene sorbitol and dibenzylidene sorbitol; clay minerals modified with an organic moiety such as dimethylbenzyl dodecylammonium montmorillonite clay, dimethyldioctadecylammonium montmorillonite, and octadecyldimethylbenzylammonium montmorillonite.

A desirable amount of the thickening agent in the cosmetic of the present invention ranges from 0.01 to 95 mass%, preferably from 0.1 to 50 mass%, relative to the cosmetic.

Moreover, the cosmetic of the present invention may preferably contain one or more kinds of components selected from powder and coloring agents along with the

10070601-022802

aforementioned components. One of the problems in cosmetics containing powder or coloring agents is noticeable cosmetic run in general. The powder and coloring agents are fixed on the skin by an oil agent or a resin which is called binder. If a volatile solvent or the like remains on the skin, a film is not formed very quickly, which is one of the causes for cosmetic run. As M3T has an appropriately high volatility, M3T does not cause wrinkling or run while applying the cosmetic or touching up the cosmetic and, after the application of the cosmetic, M3T vaporizes quickly. Accordingly, it is desirable to blend M3T to the cosmetic containing powder and coloring agents.

Any powder and coloring agents which are commonly used in cosmetics may be used in the present invention, regardless of the shape (spherical, rod-like, acicular, tubular, irregular, scaly or spindle forms), particle size (size of hume, fine particles or pigment grade), and particle structure (porous and non-porous), such as, for example, inorganic powder, organic powder, surface active, metal salt powder, colored pigments, pearl pigments, metallic powder pigments, and natural colors. Specific examples include inorganic powder, such as titanium oxide, zirconium oxide, zinc oxide, cerium oxide, magnesium oxide, barium sulfate, calcium sulfate, magnesium sulfate, calcium carbonate, magnesium carbonate, talc, mica, kaolin, cericite, muscovite, synthetic mica, phlogopite, lepidolite, biotite, lithia mica, silicic acid, silicic anhydride, aluminum silicate, magnesium silicate, aluminum magnesium silicate, calcium silicate, barium silicate, strontium silicate, metal salts of tungstenic acid, hydroxyapatite,

10070501.022002

vermiculite, higilite, bentonite, montmorillonite, hectolitre, zeolite, ceramics powder, calcium secondary phosphate, alumina, aluminum hydroxide, boron nitride, and silica; organic powder such as polyamide powder, polyester powder, polyethylene powder, polypropylene powder, polystyrene powder, polyurethane powder, benzoguanamine powder, polymethylbenzoguanamine powder, polytetrafluoroethylene powder, polymethylmethacrylate powder, cellulose, silk powder, nylon powder such as Nylon 12 and Nylon 6, acrylic powder, acrylic elastomer, styrene/acrylic acid copolymer, divinylbenzene/styrene copolymer, vinyl resin, urea resin, phenol resin, fluororesin, silicone resin, acrylic resin, melamine resin, epoxy resin, polycarbonate resin, microcrystalline fiber powder, starch powder, and lauroyl lysine; surface active metal salt powders (metal soaps) such as zinc stearate, aluminum stearate, calcium stearate, magnesium stearate, zinc myristate, magnesium myristate, zinc cetyl phosphate, calcium cetyl phosphate, and zinc/sodium cetyl phosphate; colored pigments including inorganic red pigments such as iron oxide, iron hydroxide, and iron titanate, inorganic brown pigments such as γ -iron oxide, inorganic yellow pigments such as iron oxide yellow and loess, inorganic black pigments such as iron oxide black and carbon black, inorganic violet pigments such as manganese violet and cobalt violet, inorganic green pigments such as chromium hydroxide, chromium oxide, cobalt oxide, and cobalt titanate, inorganic blue pigments such as Prussian blue and ultramarine blue, lakes of tar pigments, lakes of natural dyes, and synthetic resin powder complexes thereof; pearl

pigments such as titanium oxide-coated mica, titanium oxide-coated mica, bismuth oxychloride, titanium oxide-coated bismuth oxychloride, titanium oxide-coated talc, fish scales, and titanium oxide-coated colored mica; metallic powder pigments such as aluminum powder, copper powder and stainless powder; tar pigments such as Red No. 3, Red No. 104, Red No. 106, Red No. 201, Red No. 202, Red No. 204, Red No. 205, Red No. 220, Red No. 226, Red No. 227, Red No. 228, Red No. 230, Red No. 401, Red No. 505, Yellow No. 4, Yellow No. 5, Yellow No. 202, Yellow No. 203, Yellow No. 204, Yellow No. 401, Blue No. 1, Blue No. 2, Blue No. 201, Blue No. 404, Green No. 3, Green No. 201, Green No. 204, Green No. 205, Orange No. 201, Orange No. 203, Orange No. 204, Orange No. 206, and Orange No. 207; and natural pigments such as carminic acid, laccaic acid, carthamin, brazilin, and crocin. These powders can be compounded or can be treated with common oil agents, silicone oil, fluorine-containing compounds and surfactants as far as the effect of the present invention is not prevented, as described above. For example, these powders may be or may not be surface-treated or modified in advance by, for example, the treatment with a fluorine-containing compound, treatment with a silicone resin, pendant treatment, treatment with a silane coupling agent, treatment with a titanium coupling agent, treatment with an oil agent, treatment with N-acylated lysine, treatment with a polyacrylic acid, treatment with a metal soap, treatment with an amino acid, treatment with an inorganic compound, plasma treatment, and mechanochemical treatment. If necessary, one or more kinds of surface treatments or

modification can be applied. According to the present invention, one or more kinds of the powders may be combined.

The amount of the powder and/or pigment to be blended in the present cosmetic is typically 0.1 to 99 mass%, preferably 1 to 70 mass%, depending much upon a form of the cosmetic.

In the cosmetic of the present invention, a variety of components that are commonly used in cosmetics can be blended in addition to the aforementioned components, as far as the purpose of the present invention is not damaged, for example, oil agents, surfactants, antiseptics, perfumes, humectants, salts, solvents, antioxidants, chelating agents, neutralizers, pH regulators, insect repellants, and bioactive components.

Examples of the oil agents are as follows: avocado oil, linseed oil, almond oil, Ibota wax, perilla oil, olive oil, cacao butter, kapok wax, kaya oil, carnauba wax, Glycyrrhiza oil, candelilla wax, beef tallow, neat's-foot oil, beef bone fat, hydrogenated beef tallow, apricot kernel oil, spermaceti wax, hydrogenated oil, wheat germ oil, sesame oil, rice germ oil, rice bran oil, sugar cane wax, sasanqua oil, safflower oil, shear butter, Chinese tung oil, cinnamon oil, jojoba wax, shellac wax, turtle oil, soybean oil, tea seed oil, camellia oil, evening primrose oil, corn oil, lard, rapeseed oil, Japanese tung oil, rice bran oil, germ oil, horse fat, persic oil, palm oil, palm kernel oil, castor oil, hydrogenated castor oil, castor oil fatty acid methylester, sunflower oil, grape oil, bayberry wax, jojoba oil, macadamia nut oil, beeswax, mink oil, cottonseed oil, cotton wax, Japanese wax, Japanese wax kernel oil, montan

wax, coconut oil, hydrogenated coconut oil, tri-coconut oil fatty acid glyceride, mutton tallow, peanut oil, lanolin, liquid lanolin, hydrogenated lanolin, lanolin alcohol, hard lanolin, lanolin acetate, isopropyl lanolate, hexyl laurate, POE lanolin alcohol ether, POE lanolin alcohol acetate, polyethylene glycol lanolate, POE hydrogenated lanolin alcohol ether, and egg yolk oil; hydrocarbon oils, e.g., ozokerite, squalane, squalene, ceresin, paraffin, paraffin wax, liquid paraffin, pristane, polyisobutylene, microcrystalline wax, and Vaseline; higher fatty acids, e.g., lauric acid, myristic acid, palmitic acid, stearic acid, behenic acid, undecylenic acid, oleic acid, linoleic acid, linolenic acid, arachidonic acid, eicosapentaenoic acid (EPA), docosahexaenoic acid (DHA), isostearic acid, and 12-hydroxystearic acid; higher alcohols, e.g., lauryl alcohol, myristyl alcohol, palmityl alcohol, stearyl alcohol, behenyl alcohol, hexadecyl alcohol, oleyl alcohol, isostearyl alcohol, hexyldodecanol, octyl dodecanol, cetostearyl alcohol, 2-decyltetradecanol, cholesterol, phytosterol, POE cholesterol ether, monostearyl glycerin ether (batyl alcohol), and monooleyl glyceryl ether (cerakyl alcohol); ester oils, e.g., diisobutyl adipate, 2-hexyldecyl adipate, di-2-heptylundecyl adipate, N-alkyl glycol monoisostearate, isocetyl isostearate, trimethylolpropane triisostearate, ethylene glycol di-2-ethylhexanoate, cetyl 2-ethylhexanoate, trimethylolpropane tri-2-ethylhexanoate, pentaerythritol tetra-2-ethylhexanoate, cetyl octanoate, octyldodecyl gum ester, oleyl oleate, octyldodecyl oleate, decyl oleate, isononyl isononanate, neopentyl glycol dicaprylate, triethyl citrate,

2-ethylhexyl succinate, amyl acetate, ethyl acetate, butyl acetate, isocetyl stearate, butyl stearate, diisopropyl sebacinate, di-2-ethylhexyl sebacinate, cetyl lactate, myristyl lactate, isopropyl palmitate, 2-ethylhexyl palmitate, 2-hexyldecyl palmitate, 2-heptylundecyl palmitate, cholesteryl 12-hydroxystearate, dipentaerythritol fatty acid esters, isopropyl myristate, octyldodecyl myristate, 2-hexyldecyl myristate, myristyl myristate, hexyldecyl dimethyloctanoate, ethyl laurate, hexyl laurate, 2-octyldodecyl N-lauroyl-L-glutamate, and diisostearyl malate; and glyceride oils, e.g., acetoglyceryl, glycerol triisooctanoate, glyceryl triisostearate, glyceryl triisopalmitate, glyceryl monostearate, glyceryl di-2-heptylundecanoate, glyceryl trimyristate, and diglyceryl myristyl isostearate.

Known surfactants include anionic, cationic, nonionic and amphoteric surfactants, but are not particularly limited to these. Any of those which are commonly used in cosmetics may be used. Specific examples are as follows: anionic surfactants including fatty acid soaps, such as sodium stearate and triethanolamine palmitate, alkylether carboxylic acids and salts thereof, carboxylates of condensates from amino acids and fatty acids, alkyl sulfonic acids, alkenesulfonates, fatty acid ester sulfonates, fatty acid amide sulfonates, sulfonate salts of the formalin condensates with alkyl sulfonates, salts of sulfate esters such as salts of alkyl sulfates, salts of secondary higher alcohol sulfates, salts of alkyl/allyl ether sulfates, salts of fatty acid ester sulfates, salts of fatty acid alkylolamide sulfates, and Turkey Red oil,

10070601 022802

alkyl phosphates, ether phosphates, alkylallylether phosphates, amide phosphates, and N-acylamino surfactants; cationic surfactants including amine salts such as alkylamine salts, polyamine and amino alcohol fatty acid derivatives, alkyl quaternary ammonium salts, aromatic quaternary ammonium salts, pyridium salts and imidazolium salts; nonionic surfactants including sorbitan fatty acid esters, glycerin fatty acid esters, polyglycerin fatty acid esters, propylene glycol fatty acid esters, polyethylene glycol fatty acid esters, sucrose fatty acid esters, polyoxyethylene alkylethers, polyoxypropylene alkylethers, polyoxyethylene alkylphenylether, polyoxyethylene fatty acid esters, polyoxyethylene sorbitan fatty acid esters, polyoxyethylene sorbitol fatty acid esters, polyoxyethylene glycerin fatty acid esters, polyoxyethylene propylene glycol fatty acid esters, polyoxyethylene castor oil, polyoxyethylene hydrogenated castor oil, polyoxyethylene phytostanolether, polyoxyethylene phytosterolether, polyoxyethylene cholestanolether, polyoxyethylene cholesterylether, alkanolamide, sugar ethers, and sugar amides; and amphoteric surfactants including betaine, aminocarboxylates, and imidazoline derivatives. A desirable amount of the surfactant to be added ranges from 0.1 to 20 mass%, preferably from 0.5 to 10 mass% relative to the total amount of the cosmetic. One or more kinds of the surfactants may be used.

For the antiseptics, alkyl paraoxybenzoates, benzoic acid, sodium benzoate, sorbic acid, potassium sorbate, and phenoxyethanol may be used. For the antibacterial agents, benzoic acid, salicylic acid, carbolic acid, sorbic acid,

paraoxybenzoic acid alkyl esters, parachloromethacresol, hexachlorophene, benzalkonium chloride, chlorohexidine chloride, trichlorocarbanilide, triclosan, photosensitizer and phenoxyethanol.

The bioactive components used in the present invention include materials which impart certain bioactivities to the skin when applied on the skin. For example, the following agents are used: anti-inflammatory agents, anti-aging agents, UV protection agents, astringents, antioxidants, hair growth stimulants, hair restoration tonics, humectants, blood circulation promoters, antibacterial agents, drying agents, cooling agents, thermal agents, vitamins, amino acids, wound healing promoters, anti-irritants, painkillers, cellular activators, and enzyme components. In particular, plant extracts, seaweed extracts, and herbal components from natural sources are desirable. In the present invention, one or more kinds of these bioactive components may preferably be added.

Examples of these components are as follows: Ashitaba extract, avocado extract, hydrangea extract, Althea extract, Arnica extract, aloe extract, apricot extract, apricot kernel extract, Ginkgo Biloba extract, fennel extract, turmeric[Curcuma] extract, oolong tea extract, rose fruit extract, Echinacea extract, Scutellaria root extract, Phellodendro bark extract, Japanese Coptis extract, Barley extract, Hypericum extract, White Nettle extract, Watercress extract, Orange extract, Dehydrated saltwater, seaweed extract, hydrolyzed elastin, hydrolyzed wheat powder, hydrolyzed silk, Chamomile extract, Carrot extract, Artemisia extract, Glycyrrhiza extract, hibiscus

10070601-022802

tea extract, *Pyracantha Fortuneana* Fruit extract, Kiwi extract, *Cinchona* extract, cucumber extract, guanocine, *Gardenia* extract, *Sasa Albo-marginata* extract, *Sophora* root extract, Walnut extract, Grapefruit extract, *Clematis* extract, *Chlorella* extract, mulberry extract, *Gentiana* extract, black tea extract, yeast extract, burdock extract, rice bran ferment extract, rice germ oil, comfrey extract, collagen, cowberry extract, *Gardenia* extract, *Asiasarum* Root extract, Family of *Bupleurum* extract, umbilical cord extract, *Salvia* extract, *Saponaria* extract, Bamboo extract, *Crataegus* fruit extract, *Zanthoxylum* fruit extract, shiitake extract, *Rehmannia* root extract, gromwell extract, *Perilla* extract, linden extract, *Filipendula* extract, peony extract, *Calamus* Root extract, white birch extract, Horsetail extract, *Hedera Helix* (ivy) extract, hawthorn extract, *Sambucus nigra* extract, *Achillea millefolium* extract, *Mentha piperita* extract, sage extract, mallow extract, *Chlidium officinale* Root extract, Japanese green gentian extract, soybean extract, jujube extract, thyme extract, tea extract, clove extract, *Gramineae imperata* cyrillo extract, *Citrus unshiu* peel extract, Japanese *Angellica* Root extract, *Calendula* extract, Peach Kernel extract, Bitter orange peel extract, *Houttuyna cordata* extract, tomato extract, natto extract, Ginseng extract, garlic extract, wild rose extract, hibiscus extract, *Ophiopogon* tuber extract, *Nelumbo nucifera* extract, parsley extract, honey, *hamamelis* extract, *Parietaria* extract, *Isodonis herba* extract, bisabolol extract, Loquat extract, coltsfoot extract, butterbur extract, *Porid cocos* wolf extract, extract of butcher's broom, grape extract, propolis extract, luffa extract, safflower extract, peppermint

extract, linden tree extract, Paeonia extract, hop extract, pine tree extract, horse chestnut extract, Mizu-bashou [*Lysichiton camtschatcense*] extract, Mukurossi peel extract, Melissa extract, peach extract, cornflower extract, eucalyptus extract, saxifrage extract, citron extract, coix extract, mugwort extract, lavender extract, apple extract, lettuce extract, lemon extract, Chinese milk vetch extract, rose extract, rosemary extract, Roman Chamomile extract, and royal jelly extract.

Further examples of the bioactive components include the following groups: biopolymers such as deoxyribonucleic acid, mucopolysaccharides, sodium hyaluronate, sodium chondroitin sulfate, collagen, elastin, chitin, chitosan, and hydrolyzed chorionic membrane; amino acids such as glycine, valine, leucine, isoleucine, serine, threonine, phenylalanine, arginine, lysine, aspartic acid, glutamic acid, cystine, cysteine, methionine, and tryptophan; hormones such as estradiol and ethenylestradiol; moisturizing components such as amino acids, sodium lactate, urea, sodium pyrrolidonecarboxylate, betaine, and whey; oily components such as sphingolipids, ceramide, cholesterol, cholesterol derivatives, and phospholipids; anti-inflammatory agents such as ϵ -aminocaproic acid, glycyrrhizic acid, β -glycyrrhetic acid, lysozyme chloride, guaiazulene, hydrocortisone, arantoin, tranexamic acid, and azulene; vitamins such as vitamin A, B2, B6, C, D, E, calcium pantothenate, biotin, nicotinic amide, and vitamin C ester; active components such as arantoin, diisopropylamine dichloroacetate, and 4-aminomethylcyclohexanoic acid; antioxidants such as

tocopherol, carotinoide, flavonoid, tannin, lignan, saponin, butylhydroxyanisole, dibutylhydroxytoluene, and phytin; cellular activators such as α -hydroxy acid, β -hydroxy acid; blood circulation promoters such as γ -oryzanol and vitamin E derivatives; wound healing promoters such as retinol and retinol derivatives; refrigerants such as cepharantine, Glycyrrhiza extract, cayenne pepper tincture, hinokitiol, iodized garlic extract, pyridoxine hydrochloride, dl- α -tocopherol, dl- α -tocopherol acetic acid, nicotinic acid, nicotinic acid derivatives, calcium pantothenate, D-pantothenyl alcohol, acetyl pantothenyl ethylether, biotin, arantoin, isopropylmethylphenol, estradiol, ethinyl estradiol, carpronium chloride, benzalkonium chloride, diphenhydramine hydrochloride, tacanal, camphor, salicylic acid, honylic acid vanillylamide, nonanoic acid vanillylamide, pirocton olamin, glyceryl pentadecanoate, 1-menthol, and camphor; hair restorers such as mononitro guaiacol, resolcinol, γ -aminobutylic acid, benzethonium chloride, mexiletine hydrochloride, auxin, female hormones, cantharis tincture, cyclosporin, zinc pyrithione, hydrocortisone, minoxizil, polyoxyethylenesorbitan monostearate, peppermint oil, and sasanishiki extract.

Examples of the pH regulator include lactic acid, citric acid, glycolic acid, succinic acid, oxalic acid, dl-malic acid, calcium carbonate, sodium hydrogen carbonate, and ammonium hydrogen carbonate. Examples of the chelating agent include alanine, sodium edetate, sodium polyphosphate, sodium methaphosphate, and phosphoric acid.

10070601-022802

Examples of the solvent to be used include light isoparaffin, ethers, LPG, N-methylpyrrolidone, and next-generation Flon besides purified water and mineral water.

Usages of the cosmetic of the present invention are not particularly limited. The following usages are most desirable: skin care products, hair care products, antiperspirant products, makeup products, UV-ray protection products, and perfumes. Examples of these usages include basic cosmetics such as milky lotions, creams, lotions, calamine lotions, sunscreen agents, sun tanning agents, aftershave lotions, preshave lotions, facial pack formulas, cleansing products, facial washes, acne remedy cosmetics, and essences; makeup cosmetics such as foundation, face powder, eye shadow, eyeliner, eyebrow, cheek, nail colors, lip cream, and lipstick; shampoos, rinses, conditioners, hair colors, hair tonics, hair-setting agents, body powder, hair restorers, deodorants, hair removers, soaps, body shampoos, bath agents, hand soaps, and perfumes.

The forms of the products are not particularly limited. Any forms can be selected, such as liquid form, milky liquid form, cream form, solid form, paste form, gel form, powder form, multiphase form, mousse form, and spray form. Particularly preferred are emulsion type, multiphase dispersion type, gel or spray formulations in which M3T and water are blended.

Examples

The present invention will be further explained in detail below by referring to the Examples and the Comparative Examples. However, the present invention shall

not be limited to these examples. "%" described below implies "% by mass" unless otherwise specified.

Preparation 1 of M3T

1800g of water and 200g of methanol were placed in a reactor. While the reactor was cooled with ice with stirring, a mixture of 420g of trimethylchlorosilane and 150g of methyltrichlorosilane was added dropwise to carry out hydrolysis. At the end of the addition, the reaction mixture was maintained for 2 hours. After cooling and removing acid wastes, the product was washed with water and neutralized. The product was dried by adding anhydrous sodium sulfate and M3T was obtained by distillation. Its boiling point was 73 to 74°C/20mmHg and a yield was 93g (percent yield: 30%).

Preparation 2 of M3T

136g of methyltrimethoxysilane, 324g of hexamethyldisiloxane and 64g of methanol were placed in a reactor. While cooling the reactor with ice, 10g of concentrated sulfuric acid was added with stirring. A mixture of 32.4 g of water and 32.4g of methanol was added dropwise to carry out hydrolysis. At the end of the addition, the mixture was maintained for 30 min. and then the catalyst and the alcohol were removed by washing with water. The product was dried by adding anhydrous sodium sulfate and M3T was obtained by distillation. Its boiling point was 73 to 74°C/20mmHg and the yield was 216g (percent yield: 70%).

M3T prepared in one of the aforementioned methods was analyzed by gas chromatography and its purity was found to be 99.3%. The structure was identified by ²⁹Si-NMR (3Si at

55 to 10ppm and 1Si at δ -60 to -70ppm, TMS standard) and mass spectrometry (molecular ion peak: 310).

Example 1: UV-ray protection cosmetic base

A solution dissolving trimethylsiloxysilicate, a kind of silicone resin compound, at a concentration of 50% by mass in M3T was prepared and a UV-ray protection cosmetic base was prepared according to the formulation shown in the table below.

(Component A)	%
(1) Silicone-treated fine particle titanium dioxide	4
(2) M3T	10
(3) KF6017	1
(Component B)	
(4) Silicone-treated fine particle zinc oxide	6
(5) Perfluoroalkylphosphate-treated colored skin-color mica	0.5
(Component C)	
(6) Crosslinked organopolysiloxane spherical powder (Elastomer)	4
(7) Dimethylpolysiloxane (KF96A-6)	2
(8) Fluorinated dimethiconol	1
(9) M3T	15
(10) Trimethylsiloxysilicate solution	6
(11) Octyl paramethoxycinnamate	3
(12) Perfluoropolyether	0.5
(Component D)	
(13) Ethyl alcohol	10
(14) Purified water	Balance
(15) Aloe extract	1
(16) Hamamelis extract	1
(17) Hibiscus extract	0.5

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with viscosity of 6 mm²/s

(Preparation Method)

- Step 1: Component A was ground with a roller mill to form a paste.
- Step 2: Component C was simply mixed and ground with a mixer.
- Step 3: After mixing Component B with Component C to be dispersed, Component A was added thereto and mixed well.
- Step 4: After adding and stirring Component D which has been made into a homogeneous solution, the mixture was packed together with stainless balls in a container to obtain a product.

Example 2

A product was obtained in the same method as in Example 1 except that D4 was used instead of M3T in Component A in the Table shown in Example 1 above.

Comparative Example 1

A product was obtained in the same method as in Example 1 except that D5 was used instead of all of M3T in the Table shown in Example 1 above.

Comparative Example 2

A product was obtained in the same method as in Example 1 except that D5 was used instead of M3T in a trimethylsiloxysilicate solution, i.e., Component C, and D5 was used instead of M3T in Component A in the Table shown in Example 1 above.

The following evaluation tests were conducted on the products obtained in Examples 1 and 2, and in Comparative Examples 1 and 2.

[Evaluation of Sensory Features and Evaluation of Durability of the Cosmetic Coverage]

Sensory features of the trial products were evaluated by 10 special panelists. For each sensory feature, a product showing an excellent result was graded as point +5 and a product showing a poor result was graded as point 0. A product indicating a result in between these was assessed into four levels. A total score from all the panelists was the final evaluation. Therefore, a higher score implies higher evaluation. The durability of the cosmetic coverage was assessed as follows. After the cosmetic base obtained in one of the Examples was applied on one half of the face and that obtained in one of the Comparative Examples on the other half of the face, a commercial summer foundation was applied on the top and the duration of the cosmetic coverage was evaluated in the same assessment method as above.

The results of evaluation are as shown in the Table below. According to the test results, the Examples of the present invention demonstrate a longer lasting cosmetic coverage and a refreshing feel with a less oily feel when applied and thereafter. Regarding the durability of the cosmetic coverage by the products of the Example, the makeup run due to sebum is less. In addition, no abnormalities were detected on the skin in all of the cases after the samples were used.

	Volatile silicone in Component A	Volatile silicone in Component C	Durability of cosmetic coverage	Refreshing feel
Example 1	M3T	M3T	42	39
Example 2	D4	M3T	44	40
Comp. Ex.1	D5	D5	29	16
Comp. Ex.2	D4	D5	32	22

Comp. Ex.: Comparative Example

Examples 3, 4, and 5: Whitening Cream for Daytime Use

A whitening cream was prepared in the formulation shown below.

Example No.	3	4	5
(Component A) (%)			
(1) KF6017	1	1	1
(2) KF6026	-	-	2
(3) KF56	5	5	5
(4) KF995	12	3	-
(5) M3T	10	19	12
(Component B)			
(6) Glycerin	5	5	5
(7) Dipropylene glycol	10	10	10
(8) Methyl paraoxybenzoate	0.2	0.2	0.2
(9) Sodium ascorbyl sulfate	0.1	0.1	0.1
(10) Sodium ascorbyl phosphate	0.1	0.1	0.1
(11) γ - amino butyric acid	0.1	0.1	0.1
(12) Apple seed kernel extract (antioxidant)	0.1	0.1	0.1
(13) Sodium chloride	0.9	0.9	0.9
(14) Perfume	0.1	0.1	0.1
(15) Purified water	Balance	Balance	Balance

KF6017, (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026, (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethyl
siloxane/dimethylsiloxane copolymer (HLB = 4.7)

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

KF995 (produced by Shin-Etsu Chemical Co. Ltd.):

Decamethylcyclopentasiloxane (D5)

(Preparation Method)

- Step 1: Component A was dissolved by heating at 60°C.
Step 2: Component B was dissolved by heating at 60°C.
Step 3: Component A was added to Component B while stirring to form an emulsion.
Step 4: Subsequently, the mixture was cooled to 30°C while stirring and packed in a container to obtain a product.

Comparative Example 3

A product was obtained in the same method as in Example 4 except that D4 was used instead of M3T in Example 4.

Comparative Example 4

A product was obtained in the same method as in Example 5 except that D4 was used instead of M3T in Example 5. The following evaluation tests were conducted on the products obtained in Examples 3 through 5 and Comparative Examples 3 and 4.

[Evaluation of Sensory Features and Evaluation of Durability of the Cosmetic Coverage]

Sensory features of the trial products were evaluated by 10 special panelists. A product showing an excellent result on sensory feature on questionnaire whether the feel to the touch was smooth or not was graded as point +5 and a product showing a poor result was graded as point 0, whereas one indicating a result in between these was assessed into four levels. A total score from all of the panelists was the final scores of evaluation. Therefore, a higher score implies higher evaluation. The low-

temperature stability was investigated as follows. Samples were stored at 0°C and returned to room temperature. Then, it was observed by the naked eye whether the separation in the products occurred or not.

The results of the evaluation are as shown in the Table below. According to the test results, the Examples of the present invention demonstrate superior low-temperature stability, compared to the Comparative Examples, and feel to the touch similar to or slightly better than the formulation using D4. Additionally, satisfactory results were obtained such that the prior silicone emulsification technique can be applied as such, the D5 can be used together and then, a dry feel is reduced compared to D4. No abnormalities were detected on the skin after all the samples were used.

Example No.	Low-temperature stability test	Smooth feel to the touch
Example 3	No problem	43
Example 4	No problem	44
Example 5	No problem	42
Comparative Example 3	Slightly separated	41
Comparative Example 4	Separated	39

Example 6: Sunscreen agent

A sunscreen agent was prepared based on the formulation described below. The UV-ray protective components used were 2-ethylhexyl paramethoxycinnamate, treated fine particle titanium dioxide, treated fine particle zinc oxide, and treated yellow fine particle titanium dioxide. As a silicone resin compound, trimethylsiloxysilicate was used.

10070601-022802

For the treated fine particle titanium dioxide, fine particle titanium dioxide with a mean particle size of 17 nm coated with silica/alumina was coated with octyltrimethoxysilane in an amount of coating of 8wt% and heat treated at 160°C. For the treated fine particle zinc oxide, fine particle zinc oxide with a mean particle size of 50 nm treated with silica was coated with methylhydrogenpolysiloxane in an amount of coating of 3wt% and heat treated at 170°C. For the treated yellow fine particle titanium dioxide, iron-doped fine particle titanium dioxide treated with silica was coated with methylhydrogenpolysiloxane in an amount of coating of 3wt% and heat treated at 130°C.

Component A	(%)
Treated fine particle titanium dioxide	8.0
M3T	12.0
Component B	
Treated yellow fine particle titanium dioxide	0.8
Treated fine particle zinc oxide	17.0
Component C	
Three-dimensionally crosslinked organopolysiloxane spherical powder (Elastomer)	1.0
Dimethiconol	6.0
M3T	17.0
Trimethylsiloxysilicate	6.0
2-ethylhexyl paramethoxycinnamate	10.0
Component D	
Ethyl alcohol	5.0
Purified water	Balance
Aloe extract	0.5

Component A was ground with a roller mill to form a paste. Component C was simply mixed and thoroughly ground with a mixer. After mixing Component B with Component C to be thoroughly dispersed, Component A was added and the mixture was further mixed well. Subsequently, Component D,

which had been dissolved homogeneously, was added and stirred thoroughly, and then the mixture was packed with stainless balls in a container.

Comparative Example 5

A product was obtained in the same method as in Example 6 except that D4 was used instead of M3T used in Example 6.

Comparative Example 6

A product was obtained in the same method as in Example 6 except that D5 was used instead of M3T used in Example 6.

[Evaluation of Sensory Features]

Sensory features of the products were evaluated by 10 special panelists. A product showing an excellent result on each sensory feature on a questionnaire whether the UV-ray protection effect lasted long or not and whether the feel to the touch was smooth or not was graded as point +5 and a product showing a poor result was graded as point 0, whereas one indicating a result in between these was assessed into four levels. A total score from all of the panelists is the final evaluation. Therefore, a higher score implies higher evaluation. The low-temperature stability was investigated as follows.

[Low-temperature Stability Test]

When a product was placed in a thermostatic chamber at 0°C, occurrence of crystallization in the formulation was observed by the naked eye.

	Long lasting effect	Good feel to the touch	Low-temperature stability test
Example 6	44	42	No problem

Comp.Ex.5	45	43	A problem detected (Crystallization)
Comp.Ex.6	38	30	No problem

According to the test results mentioned above, the Examples of the present invention were superior to the Comparative Examples.

Comparative Example 5 was the case using D4 instead of M3T. The product was highly volatile and demonstrated excellent durability of the UV-ray protection effect, but D4 crystallized at a low temperature. Therefore, it is concluded that the product was not suitable for winter use. In Comparative Example 6 where D5 was used instead of M3T, an oily feel to the touch was found, which is an issue of concern. In contrast, the product obtained in Example 6 demonstrated excellent overall results in a feel to the touch, durability of the effect and stability of the formulation. In addition, the addition of M3T caused no problem with safety to human skin.

Example 7: Sunscreen Agent (Cream)

(Components)	(%)
1. M3T	20.0
2. Liquid paraffin	10.0
3. KF6017	1.9
4. KF6026	4.0
5. 4-t-butyl-4'-methoxydibenzoylmethane	7.0
6. Distearyltrimethylammonium chloride	0.8
7. Vitamin E acetate	0.1
8. Ethanol	1.0
9. Sumectite	1.2
10. Antiseptic	Proper quantity
11. Perfume	Proper quantity
12. Purified water	Balance

10070601 022802

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethyl
siloxane/dimethylsiloxane copolymer (HLB = 4.7)

(Preparation Method)

A: Components 1 through 7 and 10 were mixed while heating.

B: Components 8, 9 and 12 were heated and mixed to be
dispersed homogeneously.

C: While stirring, B was added portionwise to A to
emulsify and, after cooling, Component 11 was added to
obtain a sunscreen agent (cream).

The sunscreen agent (cream) thus obtained was evenly
applicable, non-sticky so as not to attract sand, gave a
silky finish, and demonstrated superior user satisfaction.
The cosmetic coverage lasted long, so that the effect of
UV-ray protection continued long. No change was found with
temperature change or with time, showing superior stability.

Example 8: Sunscreen Agent (Cream)

(Components)	(%)
1. MBT	18.0
2. KF56	2.0
3. Liquid paraffin	1.5
4. KF6012	4.0
5. Octyl paramethoxycinnamate	5.0
6. 1,3-butylene glycol	4.0
7. Sodium chloride	1.0
8. Antiseptic	Proper quantity
9. Perfume	Proper quantity
10. Purified water	Balance

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

KF6012' (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane
copolymer (HLB = 7.0)

(Preparation Method)

- A: Components 1 - 5 were mixed while heating.
B: Components 6 - 8 and 10 were heated to be dissolved.
C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 9 was added to obtain a sunscreen agent (cream).

The sunscreen agent (cream) thus obtained was evenly applicable, moisturizing, had a silky finish, and gave very good user satisfaction. It maintained long lasting cosmetic coverage with excellent waterproofing and sweat resistance, so that the effect of UV-ray protection continued long. No change was found with temperature change or with time, showing superior stability.

Example 9: Sunscreen Agent (Cream)

(Components)	(%)
1. M3T	17.5
2. KP545	12.0
3. Glycerol triisooctanoate	5.0
4. Octyl paramethoxycinnamate	6.0
5. KSG21	5.0
6. KF6017	1.0
7. Lipophilic-treated zinc oxide	20.0
8. Sodium chloride	0.5
9. 1,3-butylene glycol	2.0
10. Antiseptic	Proper quantity
11. Perfume	Proper quantity
12. Purified water	Balance

KP545 (produced by Shin-Etsu Chemical Co., Ltd.):

Acrylic silicone copolymer
resin/decamethylcyclopentasiloxane 30% solution
KSG21 (produced by Shin-Etsu Chemical Co., Ltd.):
Crosslinked polyether-modified
methylpolysiloxane/dimethylpolysiloxane
KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):
Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)
(Preparation Method)

A: Component 2 was added to a portion of Component 1 to obtain a homogeneous mixture and then Component 7 was added to be dispersed with a beads mill.

B: The remaining portion of Component 1 and Components 3 - 6 were mixed homogeneously.

C: Components 8 - 10 and Component 12 were mixed to be dissolved.

D: C was added to B to emulsify, and A and Component 11 were added to obtain a sun blocking cream.

The sunscreen agent (cream) thus obtained was non-sticky, evenly applicable, well suited for the skin, and presented a glossy finish. The cosmetic coverage lasted long. It was very stable to temperature change or with time.

Example 10: Sunscreen Agent (Astringent)

(Components)	(%)
1. MST	14.0
2. KF615A	10.0
3. Squalane	1.5
4. Octyl paramethoxycinnamate	3.0
5. Titanium TTO-S2	2.0
6. 1,3-butylene glycol	10.0
7. Sodium chloride	2.0
8. L-proline	0.1
9. 2-hydroxyoctanoic acid	1.0
10. 2-hydroxypropanoic acid	5.0
11. Sodium hydroxide	Proper

10070601-022902

hydrophobicity

(Preparation Method)

A: Components 6 - 14 were dissolved homogeneously.

B: Components 1 - 4 were mixed and Component 5 was added to obtain a homogeneous mixture.

C: While stirring, B was added portionwise to A to emulsify, to obtain a sun blocking astringent.

The sunscreen agent (astringent) thus obtained was evenly applicable, moisturizing, well suited for the skin, and gave a refreshing feel to users. It had a superior effect of preventing suntan. No change was found with temperature change or with time, showing superior stability.

Example 11: Sunscreen Agent (Milky Lotion)

(Components)	(%)
1. M3T	25.0
2. Diglyceryl monoisostearate	1.5
3. Decaglyceryl pentaisostearate	1.5
4. KF6012	0.5
5. Olive oil	1.0
6. Fine particle titanium dioxide	7.0
7. Glycerin	5.0
8. Sodium chloride	1.5
9. Antiseptic	Proper quantity

10. Perfume

Proper
quantity
Balance

11. Purified water

KF6012 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane
copolymer (HLB = 7.0)

(Preparation Method)

A: Components 1 - 5 were mixed while heating and Component
6 was dispersed homogeneously.

B: Components 7 - 9 and Component 11 were mixed while
heating.

C: While stirring, B was added portionwise to A to
emulsify and, after cooling, Component 10 was added to
obtained a sunscreen agent (milky lotion).

The sunscreen agent (milky lotion) thus obtained was
less viscous, of fine silky texture, evenly applicable, and
non-sticky to give good user satisfaction. With the long
lasting cosmetic coverage, the effect of UV-ray protection
continued long. The stability of powder dispersion and
emulsification was excellent with temperature change or
with time.

Example 12: Sunscreen Agent (Milky Lotion)

(Components)	(%)
1. M3T	20.0
2. KF56	3.0
3. Sorbitan monoisostearate	1.0
4. KF6012	0.5
5. Silicone resin	1.0
6. Octyl paramethoxycinnamate	4.0
7. Fine particle titanium dioxide	8.0
8. Sorbitol	2.0
9. Sodium chloride	2.0
10. Antiseptic	Proper quantity

11. Perfume

Proper
quantity
Balance

12. Purified water

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

Silicone resin: 50% solution, in M3T, of a silicone network compound (trimethylsiloxysilicate) with a ratio, $[\text{Me}_3\text{SiO}_{1/2}]/[\text{SiO}_2]$, of 0.8

KF6012 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane copolymer (HLB = 7.0)

(Preparation Method)

A: Components 1 - 6 were mixed while heating and Component 7 was dispersed homogeneously.

B: Components 8 - 10 and Component 12 were mixed while heating.

C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 11 was added to obtain a sunscreen agent (milky lotion).

The sunscreen agent (milky lotion) thus obtained was evenly applicable, moisturizing and presented a fine silky look. With the long lasting cosmetic coverage, the effect of UV-ray protection continued long. No change was found with temperature change or with time, showing superior stability.

Example 13: Suntan Cream

(Components)	(%)
1. M3T	15.0
2. KF96A-100	5.0
3. KP-562	0.5
4. KF6017	2.2
5. KF6026	6.0

6. Palmitic acid	0.2
7. Dimethyloctyl paraaminobenzoic acid	0.5
8. 4-t-butyl-4'-methoxy-dibenzoylmethane	0.5
9. Kaoline	0.5
10. Iron oxide red	0.2
11. Iron oxide yellow	0.3
12. Iron oxide black	0.1
13. Titanium oxide coated mica	1.0
14. Sodium L-glutamate	3.0
15. 1,3-butylene glycol	5.0
16. Dioctadecyldimethyl ammonium chloride	0.1
17. Antioxidant	Proper quantity
18. Antiseptic	Proper quantity
19. Perfume	Proper quantity
20. Purified water	Balance

KF96F-100 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 100 mm²/s

KP-562 (produced by Shin-Etsu Chemical Co., Ltd.):

Behenyl-modified acrylic silicone graft copolymer

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethyl
siloxane/dimethylsiloxane copolymer (HLB = 4.7)

(Preparation Method)

A: Components 1 - 8 and Components 17 - 18 were dissolved by heating.

B: After stirring Component 16 and a portion of Component 20 while heating, Components 9 - 13 were added to disperse.

C: Components 14 - 15 and the remaining portion of Component 20 were dissolved homogeneously and combined with B.

D. While stirring, C was added portionwise to A to emulsify and, after cooling, Component 19 was added to obtain a suntan cream.

The suntan cream thus obtained was evenly applicable, moisturizing, well suited feel for the skin, and gave a fine silky look and a refreshing feel to users. The cosmetic coverage lasted long. Neither separation nor coagulation of the powder was found with temperature change or with time, showing superior stability.

Example 14: Foundation

(Components)	(%)
1. M3T	45.0
2. KF96A-6	5.0
3. KF6017	1.5
4. KF6026	0.5
5. Montmorillonite modified by octadecyldimethylbenzylammonium	4.0
6. Titanium dioxide treated for hydrophobicity*	10.0
7. Talc treated for hydrophobicity*	6.0
8. Mica treated for hydrophobicity*	6.0
9. Iron oxide red* treated for hydrophobicity	1.6
10. Iron oxide yellow* treated for hydrophobicity	0.7
11. Iron oxide black* treated for hydrophobicity	0.2
12. Dipropylene glycol	5.0
13. Methyl paraoxybenzoate	0.3
14. 2-amino-2-methyl-1,3-propanediol	0.2
15. Hydrochloric acid	0.1
16. Perfume	Proper quantity
17. Water	Balance

KF96F-100 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 100 mm²/s

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethyl
siloxane/dimethylsiloxane copolymer (HLB = 4.7)

* Treatment for hydrophobicity: after adding 2% of
methylhydrogenpolysiloxane to the powder, a heat treatment
was applied.

(Preparation Method)

A: Components 1 - 5 were mixed while heating and
Components 6 - 11 were added to obtain a homogeneous mixture.

B: Components 12 - 15 and Component 17 were dissolved by
heating (pH of the aqueous system: 9.0).

C. While stirring, B was added portionwise to A to
emulsify and, after cooling, Component 16 was added to
obtain a foundation.

The foundation thus obtained was evenly applicable,
moisturizing, of a fine silky texture and gave a refreshing
feel to users. The cosmetic coverage lasted long. No
change was found with temperature change or with time,
showing superior stability.

Example 15: Foundation

(Components)	(%)
1. KF96A-6	5.0
2. M3T	15.0
3. Squalane	4.0
4. Neopentyl glycol dioctanoate	3.0
5. Myristic acid isostearic acid diglyceride	2.0
6. α -monoisoostearyl glycerylether	1.0
7. KF6015	1.0
8. Aluminum distearate	0.2
9. Titanium dioxide treated for hydrophobicity*	5.0
10. Cerisite treated for hydrophobicity*	2.0
11. Talc treated for hydrophobicity*	3.0
12. Iron oxide red treated for hydrophobicity*	0.4
13. Iron oxide yellow treated for hydrophobicity*	0.7

14. Iron oxide black treated for hydrophobicity*	0.1
15. Magnesium sulfate	0.7
16. Glycerin	3.0
17. Antiseptic	Proper quantity
18. Perfume	Proper quantity
19. Purified water	Balance

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.5)

* Hydrophobic powder: powder was treated with 2%, based on the powder, of stearic acid.

(Preparation Method)

A: Components 1 - 8 were mixed while heating and Components 9 - 14 were added to obtain a homogeneous mixture.

B: Components 15 - 17 and Component 19 were dissolved by heating.

C. While stirring, B was added portionwise to A to emulsify and, after cooling, Component 18 was added to obtain a foundation.

The foundation thus obtained was less viscous, evenly applicable, moisturizing, and gave a fine silky look and a refreshing feel to users. The cosmetic coverage lasted long. No change was found with temperature change or with time, showing superior stability.

Example 16: Foundation

(Components)	(%)
1. M3T	18.0
2. KF56	5.0
3. Sorbitan monoisostearate	0.5
4. Diglyceryl monoisostearate	0.5
5. KF6012	1.0
6. Octyl paramethoxycinnamate	3.0
7. Titanium oxide	10.0
8. Iron oxide red	0.13

9. Iron oxide yellow	0.3
10. Iron oxide black	0.07
11. Talc	2.5
12. Sorbitol	2.0
13. Magnesium sulfate	0.1
14. Ethanol	10.0
15. Antiseptic	Proper quantity
16. Perfume	Proper quantity
17. Purified water	Balance

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

KF6012 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane
copolymer (HLB = 7.0)

(Preparation Method)

- A: Components 7 - 11 were mixed homogeneously.
- B: Components 1 - 6 and Component 15 were mixed while heating and A was added to obtain a homogeneous dispersion.
- C: Components 12 - 13 and Component 17 were heated and added to B to emulsify and, after cooling, Components 14 and 16 were added to obtain a foundation.

The foundation thus obtained was non-sticky, evenly applicable, and gave a refreshing feel to users. It was in a good emulsion state and less affected with temperature changes, and showed no separation or aggregation with time, showing superior stability.

Example 17: Foundation

(Components)	(%)
1. M3T	15.0
2. KF96A-6	5.0

3. Liquid paraffin	3.0
4. KF6015	3.0
5. Palmitic acid	0.5
6. Aerosil RY200	5.0
7. Titanium dioxide	6.0
8. Iron oxide red	0.25
10. Iron oxide yellow	0.6
11. Iron oxide black	0.12
12. Cerisite	8.03
13. Dipropylene glycol	10.0
14. Magnesium sulfate	2.0
15. Antiseptic	Proper quantity
16. Antioxidant	Proper quantity
17. Perfume	Proper quantity
18. Purified water	Balance

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF6015 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.5)

Aerosil RY200 (produced by Nippon Aerosil Co., Ltd.):

Hydrophobic silica

(Preparation Method)

- A: Components 8 - 12 were mixed homogeneously.
- B: Components 1 - 7 and Component 16 were mixed and heated to 70°C under stirring, to which A was added to obtain a homogeneous dispersion.
- C: Components 13 - 18 were heated to 70°C and added to B to emulsify and, after cooling, Component 17 was added to obtain a foundation.

The foundation thus obtained was non-sticky, evenly applicable, and gave a refreshing and cool feel to users. It was in a good emulsion state and demonstrated long

Spherical silicone resin powder

* Treatment with a fluorine compound: coated with 5% of perfluoroalkylethylphosphate diethanolamine salt

(Preparation Method)

- A: Components 7 - 13 were mixed homogeneously.
- B: Components 1 - 6 were mixed while heating to 70°C and A was added to obtain a homogeneous dispersion.
- C: Components 14 - 17 and Component 19 were heated to 40°C and added portionwise to B to emulsify. After cooling, Component 18 was added to obtain a liquid foundation.

The foundation thus obtained was non-sticky, evenly applicable, and gave a refreshing feel to users. No change was found with temperature change or with time, showing superior stability.

Example 19: Foundation

(Components)	(%)
1. M3T	27.0
2. KF56	3.0
3. Glyceryl triisooctanoate	10.0
4. KF6017	1.0
5. KF6026	1.0
5. Polyglyceryl monoisostearate	3.0
6. Powder mixture treated for hydrophobicity*	18.0
7. Iron oxide red	1.2
8. Iron oxide yellow	2.6
9. Iron oxide black	0.2
10. 1,3-butylene glycol	7.0
11. Sodium chloride	0.5
12. Antiseptic	Proper quantity
13. Perfume	Proper quantity
14. Purified water	Balance

*: Powder mixture treated for hydrophobicity

- | | |
|-----------------------------------|-----|
| a. Fine particle titanium dioxide | 8.0 |
| b. Fine particle zinc oxide | 4.0 |
| c. Talc | 3.0 |
| d. Mica | 3.0 |

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethyl
siloxane/dimethylsiloxane copolymer (HLB = 4.7)

(Preparation Method)

- A: Components a - d were mixed, to which 1% of methylhydrogenpolysiloxane was added, and then heat treated.
- B: Components 1 - 6 were mixed and dissolved by heating and Components 7 - 10 were homogeneously dispersed.
- C: Components 11 - 13 and Component 15 were mixed and then added to B to emulsify.
- D: After cooling C, Component 14 was added to obtain a foundation.

The foundation thus obtained was non-sticky, evenly applicable, and well suited for the skin to give a glossy finish. It demonstrated long lasting makeup coverage. No change was found with temperature change or with time, showing superior stability.

Example 20: Hair Cream

(Components)	(%)
1. M3T	10.0
2. KF56	5.0
3. Squalane	4.0
4. Silicone resin	1.0
5. Glyceryl dioleate	2.0

6. KF6017	2.0
7. KF6026	4.0
8. Sodium sorbitol sulfate	2.0
9. Sodium chondroitin sulfate	1.0
10. Sodium hyaluronate	0.5
11. Propylene glycol	3.0
12. Antiseptic	1.5
13. Vitamin E acetate	0.1
14. Antioxidant	Proper quantity
15. Perfume	Proper quantity
16. Purified water	Balance

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

Silicone resin: 50% solution in M3T, of a silicone network compound (trimethylsiloxysilicate) with a ratio, $[\text{Me}_3\text{SiO}_{1/2}]/[\text{SiO}_2]$, of 0.8

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethylsiloxane/dimethylsiloxane copolymer (HLB = 4.7)

(Preparation Method)

A: Components 1 - 7 and Components 12 and 13 were mixed while heating.

B: Components 8 - 11 and Component 16 were mixed to be dissolved.

C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 15 was added to obtain a hair cream.

The hair cream thus obtained was evenly applicable, moisturizing, and gave a refreshing feel to users. It maintained long lasting makeup coverage with excellent

waterproofing, water repellency and sweat resistance. No change was found with temperature change or with time, showing superior stability.

Example 21: Mascara

(Components)	(%)
1. KP545	20.0
2. Dextrin palmitate/ ethylhexanoate	8.0
3. Polyethylene wax	4.0
4. Beeswax	7.0
5. Lecithin	0.5
6. M3T	22.0
7. C ₁₁ -C ₁₂ Liquid paraffin	20.0
8. Iron oxide	5.0
9. AerosilRY200	3.5
10. Talc	10.0

KP545 (produced by Shin-Etsu Chemical Co., Ltd.):

Acryl silicone copolymer resin/decamethylcyclopentadiloxane
30% solution

AerosilRY200: (Nippon Aerosil Co., Ltd.) Hydrophobic silica
(Preparation Method)

- A: Components 1 - 7 were mixed to be dissolved.
B: Components 8 - 10 were added to A and dispersed with a roller.

The mascara thus obtained was evenly applicable, non-sticky, and gave a refreshing feel to users. It maintained long lasting makeup coverage with waterproofing, water repellency, and sweat resistance. No change was found with temperature change or with time, showing superior stability.

Example 22: Cream

(Components)	(%)
1. M3T	20.0
2. Glyceryl trioctanoate	10.0
3. KF6017	1.5
4. KG6026	4.0
5. Phenyl dimethylstearyl ammonium chloride	1.0
6. Dipropylene glycol	10.0
7. Maltitol	10.0

8. Saponite	1.5
9. Antiseptic	Proper quantity
10. Perfume	Proper quantity
11. Purified water	Balance

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/

polyoxypropyleneoleylmethylsiloxane/dimethylsiloxane

copolymer (HLB = 4.7)

(Preparation Method)

- A: Components 1 - 5 and 9 were mixed while heating.
- B: Components 6 - 8 and Component 11 were dissolved by heating.
- C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 10 was added to obtain a cream.

The cream thus obtained was evenly applicable, moisturizing, and gave a refreshing feel to users. It demonstrated long lasting cosmetic coverage with excellent waterproofing and water repellency. No change was found with temperature change or with time, showing superior stability.

Example 23: Cream

(Components)	(%)
1. M3T	10.0
2. KF96A-6	5.0
3. Liquid paraffin	5.0
4. KF6017	3.0
5. KF6026	5.0
6. Sodium citrate	2.0
7. 1,3-butylene glycol	5.0

10070601-022302

- | | |
|--------------------|--------------------|
| 8. Antiseptic | Proper
quantity |
| 9. Perfume | Proper
quantity |
| 10. Purified water | Balance |

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/

polyoxypropyleneoleylmethylsiloxane/dimethylsiloxane

copolymer (HLB = 4.7)

(Preparation Method)

- A: Components 1 - 4 were mixed while heating.
- B: Components 5 - 7 and Component 9 were dissolved by heating.
- C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 8 was added to obtain a cream.

The cream thus obtained was evenly applicable, moisturizing, and gave a refreshing feel to users. It demonstrated long lasting cosmetic coverage with excellent waterproofing and water repellency. No change was found with temperature change or with time, showing superior stability.

Example 24: Cream

(Components)	(%)
1. M3T	20.0
2. Liquid paraffin	5.0
3. KF615A	1.0
4. Magensium L-ascorbate phosphate	3.0
5. Dipropylene glycol	5.0

10070501-022802

6. Glycerin	5.0
7. Antiseptic	Proper quantity
8. Perfume	Proper quantity
9. Purified water	Balance

KF615A (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane

copolymer (HLB = 14.0)

(Preparation Method)

- A: Components 1 - 3 were mixed homogeneously.
- B: Components 5 - 7 were heated to obtain a homogeneous mixture.
- C: Components 4 and 9 were dissolved homogeneously.
- D: While stirring, B was added portionwise to A, and C was further added to emulsify. Then, Component 8 was added to obtain a cream.

The cream thus obtained was evenly applicable, moisturizing, well suited for the skin, and gave a fine silky look and a refreshing feel to users. It exhibited an excellent whitening effect and superior stability with no change with temperature or with time.

Example 25: Cream

(Components)	(%)
1. M3T	20.0
2. KF56	5.0
3. KF6012	1.0
4. Dextrin fatty acid ester	1.0
5. Glycerin	5.0
6. Sodium chloride	1.0
7. Antiseptic	Proper quantity
8. Perfume	Proper quantity
9. Purified water	Balance

10070501-022802

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

KF6012 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane
copolymer (HLB = 7.0)

(Preparation Method)

- A: Components 1 - 4 were mixed while heating.
- B: Components 5 - 7 and Component 9 were dissolved by heating.
- C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 8 was added to obtain a cream.

The cream thus obtained was non-sticky, evenly applicable, moisturizing, gave a fine silky look and a refreshing feel to users. It demonstrated long lasting cosmetic coverage with excellent waterproofing and sweat resistance, so that the effect of UV-ray protection continued long. No change was found with temperature change or with time, showing superior stability.

Example 26: Cream

(Components)	(%)
1. M3T	18.0
2. KF96A-100	2.0
3. Polypropylene glycol (3) myristylether	0.5
4. KF6017	1.4
5. KF6026	2.5
6. Fine particle titanium dioxide treated for hydrophobicity*	1.0
8. Glycerin	3.0
9. 70% sorbitol	5.0
10. Citric acid	25.0
11. Sodium chloride	0.6
12. Antiseptic	Proper quantity

10070601.022802

13. Perfume	Proper
14. 32% aqueous ammonia	quantity
15. Purified water	4.5
	Balance

KF96A-100 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 100 mm²/s

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/

polyoxypropyleneoleylmethylsiloxane/dimethylsiloxane

copolymer (HLB = 4.7)

*: Fine particle titanium dioxide treated with aluminum stearate

(Preparation Method)

A: Components 1 - 5 and 12 were mixed, and then Component 6 was mixed by stirring.

B: Components 7 - 11 and Components 13 - 14 were dissolved homogeneously.

C: B was added portionwise to A to emulsify to obtain a cream.

The cream thus obtained demonstrated smooth applicability with non-stickiness despite the presence of the large quantity of citric acid. No change was found with temperature change or with time, showing superior stability.

Example 27: Cream

(Components)	(%)
1. M3T	16.0
2. KF96A-6	4.0
3. KF6012	5.0
4. POE(5) octyldodecyl ether	1.0

5. Polyoxyethylene sorbitan monostearate (20E.O.)	0.5
6. SUNSPHERE SZ-5	2.0
7. Silicone-treated fine particle titanium dioxide	10.0
8. Liquid paraffin	2.0
9. Macademian nut oil	1.0
10. Scutellaria Root Extract*	1.0
11. Gentiana Extract**	0.5
12. Ethanol	5.0
13. 1,3-butylene glycol	2.0
14. Antiseptic	Proper quantity
15. Perfume	Proper quantity
16. Purified water	Balance

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF6012 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane copolymer (HLB = 7.0)

SUNSPHERE SZ-5 (Produced by Asahi Glass Company): Silica with a particle size ranging from 0.01 to 10µm, encapsulating 50% of anhydrous silicic acid-treated zinc oxide

* Scutellaria Root Extract: extracted with a 50% aqueous 1,3-butylene glycol solution

** Gentiana Extract: extracted with a 20% aqueous ethanol solution

(Preparation Method)

A: Components 6 - 9 were mixed to be dispersed homogeneously.

B: Components 1 - 5 were mixed and A was added thereto.

C: Components 10 - 14 and Component 16 were mixed, to which B was added to emulsify.

D: After cooling C, Component 15 was added to obtain a cream.

The cream thus obtained was non-sticky, evenly applicable, well suited for the skin, and gave a glossy finish. It maintained long lasting cosmetic coverage. Further, no change was found with temperature change or with time, showing superior stability.

Example 28: Handcream

(Components)	(%)
1. M3T	12.0
2. Liquid paraffin	10.0
3. Silicone resin	5.0
4. KF6017	1.9
5. KF6026	4.0
6. Distearyl dimethyl ammonium chloride	0.8
7. Vitamin E acetate	0.1
8. Polyethylene glycol 4000	1.0
9. Glycerin	10.0
10. Smectite	1.2
11. Antiseptic	Proper quantity
12. Perfume	Proper quantity
13. Purified water	Balance

Silicone resin: 70% solution, in M3T, of a silicone network compound (trimethylsiloxysilicate) with a ratio, $[\text{Me}_3\text{SiO}_{1/2}]/[\text{SiO}_2]$, of 1.15

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethylsiloxane/dimethylsiloxane copolymer (HLB = 4.7)

(Preparation Method)

A: Components 1 - 7 and Component 11 were mixed while heating.

- B: Components 8 - 10 and Component 13 were mixed under heating to be dissolved.
- C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 12 was added to obtain a handcream.

The handcream thus obtained was evenly applicable, moisturizing, and gave a refreshing feel to users. It maintained long lasting makeup coverage with excellent waterproofing and water repellency. No change was found with temperature change or with time, showing superior stability.

Example 29: Handcream

(Components)	(%)
1. M3T	30.0
2. Liquid paraffin	10.0
3. Amino-modified silicone gum	15.0
4. KF6017	4.0
5. Distearyltrimethyl ammonium chloride	0.8
6. Vitamin E acetate	0.1
7. Polyethylene glycol 4000	1.0
8. Glycerin	10.0
9. Smectite	1.2
10. Antiseptic	Proper quantity
12. Perfume	Proper quantity
13. Purified water	Balance

Amino-modified silicone gum: Amine equivalence of 70000 g/mol

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

(Preparation Method)

- A: Components 1 and 3 were heated and mixed to be dissolved, and then Components 2, 4 - 6 and 10 were added

while heating.

B: Components 7 - 9 and Component 12 were mixed while heating.

C: B was added portionwise to A to emulsify and, after cooling, Component 11 was added to obtain a handcream.

The handcream thus obtained was non-sticky, evenly applicable, and gave a refreshing feel to users. It protected the skin effectively from kitchen work and also demonstrated superior stability against temperature change.

Example 30: Handcream (O/W)

(Components)	(%)
1. KP545	5.0
2. M3T	5.0
3. KSG16	2.0
4. Isoparaffin	5.0
5. Vaseline	5.0
6. Glyceryl triisooctanoate	3.0
7. KF6017	0.5
8. Polyoxyethylene sorbitan monooleate	1.0
9. Sepigel 305	2.0
10. 1,3-butylene glycol	5.0
11. Glycerin	5.0
12. Antiseptic	Proper quantity
13. Perfume	Proper quantity
14. Purified water	Balance

KP545 (produced by Shin-Etsu Chemical Co., Ltd.):

30% solution of acrylic silicone copolymer
resin/decamethylcyclopentasiloxane

KSG16 (produced by Shin-Etsu Chemical Co., Ltd.):

Crosslinked dimethylpolysiloxane/dimethylpolysiloxane

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

Sepigel 305: Light liquid paraffin (produced by SEPPIC Inc.)

(Preparation Method)

- A: Components 1 - 7 were mixed homogeneously.
B: Components 8 - 11 and Component 13 were mixed homogeneously.
C: B was added to A to emulsify and Component 12 was added to obtain an O/W handcream.

The handcream thus obtained was non-sticky, evenly applicable, well suited for the skin, and gave a glossy finish. The cosmetic coverage lasted long and superior stability was obtained with no change with temperature change or with time.

Example 31: Handcream (O/W)

(Components)	(%)
1. KP545	5.0
2. M3T	5.0
3. KP561	8.0
4. Cetanol	1.0
5. Glyceryl triisostearate	5.0
6. Stearic acid	3.0
7. Glyceryl monostearate	1.5
8. KF6015	0.7
9. Sorbitan sesquioleate	0.5
10. Polyoxyethylene sorbitan monooleate	1.0
11. Sodium hydroxide (1% aqueous solution)	10.0
12. 1,3-butylene glycol	5.0
13. Antiseptic	Proper quantity
14. Perfume	Proper quantity
15. Purified water	Balance

KP545 (produced by Shin-Etsu Chemical Co., Ltd.):
30% solution of acrylic silicone copolymer resin/
decamethylcyclopentasiloxane

10070601-022802

KF6015 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.5)

KP561 (produced by Shin-Etsu Chemical Co., Ltd.):

Acrylic silicone copolymer resin: stearyl-modified acrylate
silicone

(Preparation Method)

- A: Components 1 - 9 were mixed and dissolved by heating.
- B: Components 10 - 12 and Component 14 were mixed and heated.
- C: B was added to A to emulsify and Component 13 was added to obtain an O/W handcream.

The handcream thus obtained was non-sticky, evenly applicable, well suited for the skin, and gave a glossy finish. It demonstrated long lasting cosmetic coverage. No change was found with temperature change or with time, showing superior stability.

Example 32: Moisturizing Cream

(Components)	(%)
1. M3T	10.0
2. KF56	3.0
3. Liquid paraffin	5.0
4. Pentaerythritol tetra-2-ethylhexanoate	3.0
5. Cetyl 2-ethylhexanoate	5.0
6. KF6017	1.0
7. KMP594	2.5
8. Aerosil R972	2.0
9. Zinc stearate	2.0
10. Vitamin E acetate	3.0
11. Polyoxyethylene glycol 400	1.0
12. Sodium lactate	1.0
13. 1,2 butylene glycol	5.0
14. Antiseptic	Proper quantity
15. Perfume	Proper quantity
16. Purified water	Balance

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KMP594 (produced by Shin-Etsu Chemical Co., Ltd.):

Spherical silicone elastomer resin powder

Aerosil R972 (produced by Nippon Aerosil Corp.):

Hydrophobic silica

(Preparation Method)

A: Components 1 - 6 and Components 9 - 10 were mixed homogeneously and Components 7 - 8 were dispersed homogeneously.

B: Components 11 - 14 and Component 16 were added to be dissolved.

C: B was added portionwise to A to emulsify and after cooling, Component 15 was added to obtain a moisturizing cream.

The moisturizing cream thus obtained was evenly applicable, moisturizing, non-sticky, and presented no changes with temperature change or time, showing superior stability and user satisfaction.

Example 33: Aftershave Cream

(Components)	(%)
1. M3T	35.0
2. KF6017	2.9
3. KF6026	5.0
4. Polyethylene glycol (molecular weight: 400)	5.0
5. Sodium L-glutamate	2.0
6. Arantoin	0.1
7. Aloe extract	Proper quantity
8. Antiseptic	Proper quantity
9. Antioxidant	Proper quantity

10070601.022602

- | | |
|--------------------|----------|
| 10. Perfume | quantity |
| | Proper |
| 11. Purified water | quantity |
| | Balance |

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):
Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)
KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):
Polyoxyethylenemethylsiloxane/
polyoxypropyleneoleylmethylsiloxane/dimethylsiloxane
copolymer (HLB = 4.7)
(Preparation Method)

- A: Components 1 - 4 and Components 10 and 11 were mixed while heating.
- B: Components 5 - 9 were mixed while heating.
- C: B was added portionwise to A to emulsify to obtain an aftershave cream.

The aftershave cream thus obtained was evenly applicable and not sticky, and did not drip since it was highly viscous. It maintained a moisturizing feel after the application and demonstrated very high stability.

Example 34: Eye Wrinkle Cream

(Components)	(%)
1. M3T	20.0
2. KF7312J	5.0
3. KF6017	2.0
4. KF6026	5.0
5. Sodium chondroitin sulfate	2.0
6. Sodium lactate	1.0
7. Glycerin	50.0
8. Antiseptic	Proper quantity
9. Antioxidant	Proper quantity
10. Perfume	Proper quantity
11. Purified water	Balance

10070601-0228002

KF7312J (produced by Shin-Etsu Chemical Co., Ltd.):

Silicone resin: 50% solution, in
decamethylcyclopentasiloxane, of a silicone network
compound (trimethylsiloxysilicate) with a ratio,
[Me₃SiO_{1/2}]/[SiO₂], of 0.8

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/
polyoxypropyleneoleylmethylsiloxane/dimethylsiloxane
copolymer (HLB = 4.7)

(Preparation Method)

A: Components 1 - 4 and Component 9 were mixed while
heating.

B: Components 5 - 8 and Component 11 were dissolved by
heating.

C: While stirring, B was added portionwise to A to
emulsify and, after cooling, Component 10 was added to
obtain an eye wrinkle cream.

The eye wrinkle cream thus obtained was evenly
applicable, moisturizing, and gave a refreshing feel to
users. It maintained long lasting cosmetic coverage. No
change was found with temperature change or with time,
showing superior stability.

Example 35: Eyeshadow

(Components)	(%)
1. M3T	15.0
2. KF96A-6	10.0
3. KF6012	2.0
4. PEG(10) laurylether	0.5
5. Silicone-treated chromium oxide*	6.2

10070501-022802

6. Silicone-treated ultramarine blue*	4.0
7. Silicone-treated titanium-coated mica*	6.0
8. Sodium chloride	2.0
9. Propylene glycol	8.0
10. Antiseptic	Proper quantity
11. Perfume	Proper quantity
12. Purified water	Balance

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF6012 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane
copolymer (HLB = 7.0)

* Silicone treatment: 3%, based on the powder, of
methylhydrogenpolysiloxane was added to the powder,
followed by heat treatment.

(Preparation Method)

A: Components 1 - 4 were mixed, to which Component 5 - 7
were added and dispersed homogeneously.

B: Components 8 - 10 and Component 12 were dissolved
homogeneously.

C: While stirring, B was added portionwise to A to
emulsify and Component 11 was added to obtain an
eyeshadow.

The eyeshadow thus obtained was evenly applicable,
moisturizing without an oily look or a powdery look, and
gave a refreshing feel to users. It maintained
satisfactory makeup coverage with excellent waterproofing,
water repellency and sweat resistance, and did not cause
makeup-run. No change was found with temperature change or
with time, showing superior stability.

Example 36: Eyeliner

(Components)	(%)
1. M3T	22.0
2. KF96A-6	5.0
3. Jojoba oil	2.0
4. KF6017	1.0
5. Silicone-treated iron oxide black (Note)	20.0
6. Ethanol	5.0
7. Antiseptic	Proper quantity
8. Purified water	Balance

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

(Note) Silicone-treated Iron oxide black: 2% of methylhydrogenpolysiloxane was added to iron oxide black, followed by heat treatment.

(Preparation Method)

A: Components 1 - 4 were mixed while heating, to which Component 5 was added to be dispersed homogeneously.

B: Components 6 - 8 were dissolved by heating.

C: While stirring, B was added portionwise to A to emulsify to obtain an eyeliner.

The eyeliner thus obtained demonstrated a light touch and easy drawing when applied, a moisturizing feel without an oily look or a powdery look, and gave a refreshing feel to users. It maintained long lasting cosmetic effect with excellent waterproofing, water repellency and sweat resistance not to cause makeup-run. No change was found with temperature change or with time, showing superior stability.

Example 37: Eyeliner

(Components)	(%)
1. M3T	22.0
2. KF96A-6	5.0
3. Silicone-treated iron oxide black	20.0
4. Vitamin E acetate	0.2
5. Jojoba oil	2.0
6. Bentonite	3.0
7. KF6012	2.0
8. Ethanol	10.0
9. 1,3-butylenle glycol	10.0
10. Antiseptic	Proper quantity
11. Perfume	Proper quantity
12. Purified water	Balance

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF6012 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane
copolymer (HLB = 7.0)

(Preparation Method)

A: Components 1, 2, and 4 - 7 were mixed, to which
Component 3 was added to be dispersed homogeneously.

B: Components 8 - 10 and Component 12 were mixed.

C: B was added portionwise to A to emulsify and, after
cooling, Component 11 was added to obtain an eyeliner.

The eyeliner thus obtained demonstrated a light touch
and ease in drawing, and gave a refreshing feel to users.
No change was found with temperature change or with time,
showing superior stability and user satisfaction. It
maintained long lasting cosmetic coverage with excellent
waterproofing and sweats resistance.

Example 38: Antiperspirant

10070601 022002

(Components)	(%)
1. M3T	30.0
2. KF6026	1.0
3. Polyoxyethylenesorbitan monooleate (20 E.O.)	0.5
6. Aluminum zirconium tetrachlorohydrate glycine salt	20.0
8. Purified water	Balance

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethylsiloxane/dimethylsiloxane copolymer (HLB = 4.7)

(Preparation Method)

- A: Components 1 and 2 were mixed.
- B: Component 4 was dissolved in Component 5, and Component 3 was added.
- C: While stirring, B was added portionwise to A to emulsify to obtain an antiperspirant.

The antiperspirant thus obtained was evenly applicable, non-sticky, did not leave too much white powdery residue, and gave a refreshing feel to users. No change was found with temperature change or with time, showing superior stability.

Example 39: Antiperspirant

(Components)	(%)
1. KSG-21	20.0
2. KSG-15	20.0
3. M3T	30.0
4. Aluminum zirconium tetrachlorohydrate [Aluminum Zirconium Tetrachlorohydrate GLY]	20.0
5. KF-96A-6	10.0

KSG21 (produced by Shin-Etsu Chemical Co., Ltd.):

Crosslinked polyether-modified methylpolysiloxane/dimethylpolysiloxane

KSG15 (produced by Shin-Etsu Chemical Co., Ltd.):

10070501 023802

Crosslinked polyether-modified
methylpolysiloxane/decamethylcyclopentasiloxane
KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):
Dimethylpolysiloxane with a viscosity of 6 mm²/s
(Preparation Method)

A: Components 1 - 3 and Component 5 were mixed
homogeneously.

B: Component 4 was added to A and dispersed by mixing.

The antiperspirant thus obtained was non-sticky and
evenly applicable. It showed superior stability with no
change with temperature change or with time.

Example 40: Transparent Gel Cosmetic

(Components)	(%)
1. M3T	10.0
2. KF615A	10.0
3. 1,3-butylene glycol	10.0
4. Polyethylene glycol 400	9.0
5. 2-Hydroxyoctanoic acid	1.0
6. Sorbitol (70% aqueous solution)	10.0
7. Citric acid	Proper quantity
8. Sodium citrate	Proper quantity
9. Antiseptic	Proper quantity
10. Perfume	Proper quantity
11. Purified water	Balance

KF615A (produced by Shin-Etsu Chemical Co., Ltd.):
Polyoxyethylene/polyoxypropylene/methylpolysiloxane
copolymer (HLB = 14.0)

(Preparation Method)

A: Components 3 - 11 were dissolved homogeneously.

B: Components 1 and 2 were mixed to obtain a homogeneous
mixture.

10070601 022802

C: While stirring, A was added portionwise to B to emulsify to obtain a transparent gel cosmetic.

The transparent gel cosmetic thus obtained was evenly applicable, moisturizing, well suited for the skin, and gave a refreshing feel to users. It demonstrated superior stability with no change with temperature change or with time.

Example 41: Milky Lotion

(Components)	(%)
1. MBT	18.0
2. KF96A-6	6.0
3. Squalan	5.0
4. Neopentylglycol dioctanoate	3.0
5. α -monooleylglyceryl ether	1.0
6. KF6017	2.0
7. Aluminum distearate	0.2
8. Magnesium sulfate	0.7
9. Glycerin	5.0
10. Antiseptic	Proper quantity
10. Perfume	Proper quantity
11. Purified water	Balance

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

(Preparation Method)

A: Components 1 - 7 were mixed while heating.

B: Components 8 - 10 and Component 12 were dissolved while heating.

C: While stirring, B was added portionwise to A and, after cooling, Component 11 was added to obtain a milky lotion.

10070601.022802

The milky lotion thus obtained had a low viscosity to present a silky look, evenly applicable, and gave a refreshing feel to users. It maintained satisfactory cosmetic coverage and superior stability with no change with temperature change or with time.

Example 42: Milky Lotion

(Components)	(%)
1. M3T	15.0
2. KF96A-6	6.0
3. Squalan	5.0
4. Neopentylglycol dioctanoate	3.0
5. α -monooleylglyceryl ether	1.0
6. KF6026	1.5
7. KF6017	1.0
8. Aluminum distearate	0.2
9. Dextrin fatty acid ester	1.0
10. Magnesium sulfate	0.7
11. Glycerin	5.0
12. Antiseptic	Proper quantity
13. Perfume	Proper quantity
14. Purified water	Balance

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF6026 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylenemethylsiloxane/polyoxypropyleneoleylmethyl
siloxane/dimethylsiloxane copolymer (HLB = 4.7)

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

(Preparation Method)

A: Components 1 - 9 were mixed while heating.

B: Components 10 - 12 and Component 14 were dissolved
while heating.

C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 13 was added to obtain a milky lotion.

The milky lotion thus obtained had a low viscosity to present a silky look, evenly applicable, and gave a refreshing feel to users. It maintained satisfactory cosmetic coverage and superior stability with no change with temperature change or with time.

Example 43: Milky Lotion

(Components)	(%)
1. M3T	15.0
2. KF56	5.0
3. Scrubane	5.0
4. Pentaneerythritol tetra-2-ethylhexanoate	5.0
5. KF6017	3.0
6. KMP594	2.0
7. Aerosil R972	0.5
8. Magnesium ascorbate phosphate	1.0
9. Sodium chloride	1.0
10. Polyethylene glycol 11000	1.0
11. Propylene glycol	8.0
12. Antiseptic	Proper quantity
13. Perfume	Proper quantity
14. Purified water	Balance

KF56 (produced by Shin-Etsu Chemical Co., Ltd.):

Methylphenylpolysiloxane

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KMP594 (produced by Shin-Etsu Chemical Co., Ltd.):

Spherical silicone elastomer resin powder

Aerosil R972 (produced by Nippon Aerosil Co., Ltd.):

Hydrophobic silica

(Preparation Method)

- A: Components 1 - 5 were mixed homogeneously, to which Components 6 and 7 were added to disperse homogeneously.
- B: Components 8 - 10 were added to Component 14 to be dissolved. Components 11 and 12 were mixed with each other homogeneously and added to the solution.
- C: B was added portionwise to A to emulsify and, after cooling, Component 13 was added to obtain a milky lotion.

The milky lotion thus obtained was non-sticky and evenly applicable. No change was found with temperature change or with time, showing superior stability.

Example 44: Beautifying Liquid

(Components)	(%)
1. M3T	12.0
2. Glyceryl triisooctanoate	10.0
3. KF6017	2.0
4. KSG21	0.2
5. Glycerin	10.0
6. Magnesium ascorbate phosphate	3.0
7. Sodium chloride	2.0
8. Antiseptic	Proper quantity
9. Perfume	Proper quantity
10. Purified water	Balance

KF6017 (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/methylpolysiloxane copolymer (HLB = 4.6)

KSG21 (produced by Shin-Etsu Chemical Co., Ltd.):

Crosslinked polyether-modified

methylpolysiloxane/dimethylpolysiloxane

(Preparation Method)

- A: Components 1 - 4 were mixed while heating.
- B: Components 5 - 8 and Component 10 were heated to be dissolved homogeneously.

C: While stirring, B was added portionwise to A to emulsify and, after cooling, Component 9 was added to obtain a beautifying liquid.

The beautifying liquid thus obtained demonstrated a fine silky look with excellent applicability and a moisturizing effect. No change was found with temperature change or with time, showing superior stability.

Example 45: Deodorant

(Components)	(%)
1. M3T	12.0
2. KF96A-6	4.0
3. KF615A	1.0
4. Propylene glycol	31.0
5. Triblosan	0.1
6. Glycerin	15.0
7. Antiseptic	Proper quantity
8. Perfume	Proper quantity
9. Purified water	Balance

KF96A-6 (produced by Shin-Etsu Chemical Co., Ltd.):

Dimethylpolysiloxane with a viscosity of 6 mm²/s

KF615A (produced by Shin-Etsu Chemical Co., Ltd.):

Polyoxyethylene/polyoxypropylene/methylpolysiloxane copolymer (HLB = 14.0)

(Preparation Method)

- A: Components 1 - 3 were mixed.
- B: Components 5 was dissolved in Component 4, and then Components 6 - 9 were mixed.
- C: B was added to A to emulsify while vigorous stirring.
- D: 65 parts of C and 35 parts of a propellant (mixture of n-butane, isobutene, and propane) were put in an aerosol can to obtain a deodorant.

The deodorant thus obtained demonstrated no dripping when used at a high concentration and non-stickiness. It gave a high user satisfaction, providing a long lasting effect.

Example 46: Aerosol Composition (astringent-deodorant)

(Components)	(%)
1. Silicone-treated mica	3.0
2. Chlorohydroxyaluminum	2.0
3. Isopropylmethylphenol	0.3
4. Sorbitan sesquioleate	0.2
5. Isopropylmyristate	5.0
6. M3T	5.0
7. Perfume	Proper quantity
8. Propellant	Balance

(Preparation Method)

- A: Components 1 - 7 were mixed.
B: After putting A in an aerosol can, Component 8 was filled.

The aerosol composition of the present invention thus obtained demonstrated a high deodorizing effect, no stickiness when applied and a satisfactory even applicability with a smooth feel to the touch. Furthermore, it demonstrated excellent user satisfaction on account of high dispersability.

Industrial Applicability

As described above, the cosmetic of the present invention demonstrates high volatility and an excellent feel to the touch since it contains M3T. Furthermore, the cosmetic of the present invention does not cause a defatting action on the skin, so that it shows superior stability.

Claims:

1. (Amended) A cosmetic, characterized in that it contains an organopolysiloxane expressed by the following general formula (1)



and at least one other kind of organopolysiloxane than that expressed by the formula (1), said other kind of organopolysiloxane being not crosslinked organopolysiloxanes which are prepared by addition polymerization in the presence of the organopolysiloxane expressed by the general formula (1) to be swollen with the organopolysiloxane expressed by the general formula (1).

2. (Deleted)

3. (Amended) The cosmetic as described in Claim 1, wherein said other kind of organopolysiloxane is liquid at 25°C and 1 atm.

4. The cosmetic as described in Claim 3, wherein said liquid organopolysiloxane is volatile at 25°C and 1 atm.

5. The cosmetic as described in Claim 4, wherein said volatile organopolysiloxane is a cyclic dimethylpolysiloxane having 4 to 6 silicon atoms.

6. The cosmetic as described in Claim 3, wherein said liquid organopolysiloxane is non-volatile at 25°C and 1 atm.

7. The cosmetic as described in Claim 6, wherein said non-volatile organopolysiloxane is at least one selected from the group consisting of dimethylpolysiloxanes and methylphenylpolysiloxanes.

8. (Amended) The cosmetic as described in Claim 1, wherein said other kind of organopolysiloxane is of a form of paste, gum, elastomeric solid or non-elastomeric solid at 25°C and 1 atm.

9. The cosmetic as described in Claim 8, wherein said gum form of organopolysiloxane is dimethylpolysiloxane gum with a degree of polymerization ranging from 3,000 to 20,000.

10. The cosmetic as described in Claim 8, wherein said elastomeric solid form or non-elastomeric solid form of organopolysiloxane is dispersed in the cosmetic.
11. The cosmetic as described in Claim 10, wherein said non-elastomeric solid form of organopolysiloxane is polyalkylsilsesquioxane spherical powder.
12. The cosmetic as described in Claim 8, wherein said non-elastomeric solid form of organopolysiloxane is at least one selected from the group consisting of acryl silicone copolymers, fluorinated organopolysiloxanes, trimethylsiloxysilicates (i.e., MQ resins), and trimethylsiloxysilicates containing a dimethylsiloxy group (i.e., MDQ resins).
13. (Amended) The cosmetic as described in Claim 1, wherein said other kind of organopolysiloxane is a modified organopolysiloxane.
14. The cosmetic as described in Claim 13, wherein said modified organopolysiloxane is at least one selected from the group consisting of fluorinated organopolysiloxanes, polyether-modified organopolysiloxanes, amino-modified organopolysiloxanes, organopolysiloxanes containing an alcoholic hydroxyl group, glyceryl-modified organopolysiloxanes, and polyglyceryl-modified organopolysiloxanes.
15. (Amended) The cosmetic as described in Claim 1, wherein said other kind of organopolysiloxanes is a crosslinked organopolysiloxane.
16. The cosmetic as described in Claim 15, wherein said crosslinked organopolysiloxane is a reaction product of organopolysiloxane having at least two alkenyl groups per molecule with organohydrogenpolysiloxane having a Si-H bond.
17. The cosmetic as described in Claim 15, wherein said crosslinked organopolysiloxane has at least one moiety selected from the group consisting of polyoxyalkylene

100706301.022802

moieties, alkyl moieties, alkenyl moieties, and aryl moieties.

18. The cosmetic as described in any one of Claims 15 through 17, wherein said crosslinked organopolysiloxane is contained in the cosmetic in a state swollen in an organopolysiloxane of a dynamic viscosity of 0.65 to 100mm²/s.

19. (Amended) The cosmetic as described in any one of Claims 1, 3 to 17, and 18, wherein it further contains a fluorine-containing compound.


20. (Amended) The cosmetic as described in any one of Claims 1, 3 to 18, and 19, wherein it further contains a UV-ray protective component.

21. (Amended) The cosmetic as described in Claim 20 or 24, wherein said UV-ray protective component is at least one selected from the group consisting of titanium dioxide fine particle, zinc oxide fine particle, 2-ethylhexyl paramethoxycinnamate, 4-tert-butyl-4'-methoxydibenzoylmethane, and benzophenone UV-ray absorbents.

22. (Amended) The cosmetic as described in any one of Claims 1, 3 to 20 and 21, wherein it further contains a compound having an alcoholic hydroxyl group.

23. (Amended) The cosmetic as described in any one of Claims 1, 3 to 21, and 22, wherein it further contains a thickening agent.


24. (Added) A cosmetic, characterized in that it contains an organopolysiloxane expressed by the following general formula (1)



and at least one selected from the group consisting of fluorine-containing compounds, UV-ray protective components, compounds having an alcoholic hydroxyl group and thickening agents.

Abstract

The present invention is a cosmetic, characterized in that it contains an organosiloxane having the following general formula:



The cosmetic demonstrates excellent volatility and feel when used, and excellent storage stability.

**COMBINED DECLARATION AND POWER OF ATTORNEY
TO BE FILED WITH U.S. DESIGNATED OFFICE UNDER 35 U.S.C. 371 (c)(4)**

As a below named inventor(s), I (We) hereby declare that:

My (Our) residence, post office address and citizenship are as stated below next to my (our) name(s). I (We) believe I (we) am (are) the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
COSMETICS, the specification of which is attached hereto and:

☒ was filed on August 29, 2000 as PCT International

Application Number PCT/JP00/45838

and was amended on _____ (if applicable).

I (We) hereby state that I (we) have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I (We) acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

PRIOR FOREIGN APPLICATION(S)			
NUMBER	COUNTRY	DATE FILED	PRIORITY CLAIMED
11/242948	Japan	August 30, 1999	XX YES NO
11/242949	Japan	August 30, 1999	XX YES NO
11/266824	Japan	September 21, 1999	XX YES NO

I (We) hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

APPLICATION NO.	FILING DATE	STATUS PATENTED, PENDING,
-----------------	-------------	------------------------------

		ABANDONED

I (We) hereby declare that all statements made herein of my (our) own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I (We) hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Gerald Levy, Registration No. 24,419; Ronald E. Brown, Registration No. 32,200; Marta Delsignore, Registration No. 32,689; John Gulbin, Registration No. 33,180; Lindsay, S. Adams, Registration No. 36,425; and Michael P. Stanley, Reg. No. 47,108. *I (We) further authorize my (our) attorney to insert the proper serial number and filing date awarded to my (our) application on this document, above my (our) signature(s).

SEND CORRESPONDENCE TO: Gerald Levy, Esq.

PITNEY, HARDIN, KIPP & SZUCH LLP

685 Third Avenue
New York, New York 10017-4024

DIRECT TELEPHONE CALLS TO: Gerald Levy

(212) 297-5800


FULL NAME OF SOLE OR FIRST INVENTOR Akihiro KURODA		CITIZENSHIP Japan
INVENTOR'S SIGNATURE <i>Akihiro Kuroda</i>		DATE <i>Feb. 20, 2002</i>
RESIDENCE Kanagawa, Japan JPX		
POST OFFICE ADDRESS c/o Kanebo Ltd., Cosmetics Laboratory, 3-28, Kotobuki-cho 5-chome, Odawara-shi, Kanagawa 250-0002 Japan		
FULL NAME OF SECOND JOINT INVENTOR, IF ANY Koji SAKUTA		CITIZENSHIP Japan
INVENTOR'S SIGNATURE <i>Koji Sakuta</i>		DATE <i>Feb. 26, 2002</i>
RESIDENCE Gunma, Japan JPX		
POST OFFICE ADDRESS c/o Silicone-Electronic Materials Research Center of Shin-Etsu Chemical Co., Ltd., 1-10, Oaza Hitomi, Matsuida-machi, Usui-gun, Gunma 379-0222 Japan		
FULL NAME OF THIRD JOINT INVENTOR, IF ANY		CITIZENSHIP

300

Hitoshi USUI		Japan
INVENTOR'S SIGNATURE <i>Hitoshi U-</i>		DATE 21 Feb. 2002
RESIDENCE Tokyo, Japan JPX		
POST OFFICE ADDRESS c/o Silicone Division of Shin-Etsu Chemical Co., Ltd., 6-1, Ohtemachi 2-chome, Chiyoda-ku, Tokyo 100-0004 Japan		
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY		CITIZENSHIP
INVENTOR'S SIGNATURE		DATE
RESIDENCE		
POST OFFICE ADDRESS		

10070601.022802

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ **Scanned copy is best available.** *Lines are crossing
all pages of this application.*